

測定月報

測定日: 2017/12

(1/7)

| 日 | モニタ | | | | | | | | | | | |
|--------|-----------------------------|--------------|---------------|-----------------------------|--------------|---------------|-----------------------------|--------------|---------------|-----------------------------|--------------|---------------|
| | A001 正門警備所 (DM71) | | | A002 正門警備所 (DM74) | | | A003 免震重要棟(DM-45) | | | A004 免震重要棟(DM-52) | | |
| | 濃度 (Bq/cm ³) | 計数率 (cps) | 流量 (L/min) | 濃度 (Bq/cm ³) | 計数率 (cps) | 流量 (L/min) | 濃度 (Bq/cm ³) | 計数率 (cps) | 流量 (L/min) | 濃度 (Bq/cm ³) | 計数率 (cps) | 流量 (L/min) |
| 1 | 4.00E-06 | 1.4 | 100 | 4.09E-06 | 1.2 | 100 | *1 4.02E-06 | 7.5 | 100 | 3.92E-06 | 6.7 | 100 |
| 2 | 3.58E-06 | 1.4 | 100 | 3.69E-06 | 1.2 | 100 | 3.49E-06 | 7.5 | 100 | 3.59E-06 | 6.7 | 100 |
| 3 | 5.24E-06 | 1.4 | 100 | 5.36E-06 | 1.2 | 100 | 5.18E-06 | 7.5 | 100 | 5.14E-06 | 6.7 | 100 |
| 4 | 6.02E-06 | 1.4 | 100 | 6.10E-06 | 1.2 | 100 | 5.38E-06 | 7.5 | 100 | 5.36E-06 | 6.7 | 100 |
| 5 | 4.11E-06 | 1.4 | 100 | 4.22E-06 | 1.2 | 100 | 3.71E-06 | 7.5 | 100 | 3.63E-06 | 6.7 | 100 |
| 6 | 4.82E-06 | 1.4 | 100 | *1 5.05E-06 | 1.2 | 100 | 4.63E-06 | 7.5 | 100 | 4.59E-06 | 6.7 | 100 |
| 7 | 6.17E-06 | 1.4 | 100 | 6.52E-06 | 1.1 | 100 | 5.81E-06 | 7.5 | 100 | 5.84E-06 | 6.7 | 100 |
| 8 | 5.42E-06 | 1.4 | 100 | 5.73E-06 | 1.1 | 100 | 5.01E-06 | 7.5 | 100 | 4.98E-06 | 6.7 | 100 |
| 9 | 3.84E-06 | 1.4 | 100 | 4.11E-06 | 1.1 | 100 | 3.68E-06 | 7.5 | 100 | 3.68E-06 | 6.7 | 100 |
| 10 | 5.94E-06 | 1.4 | 100 | 6.58E-06 | 1.1 | 100 | 5.78E-06 | 7.5 | 100 | 5.72E-06 | 6.7 | 100 |
| 11 | 5.26E-06 | 1.4 | 100 | 5.79E-06 | 1.1 | 100 | 5.12E-06 | 7.5 | 100 | 5.10E-06 | 6.7 | 100 |
| 12 | 1.97E-06 | 1.4 | 100 | 1.97E-06 | 1.1 | 100 | 1.97E-06 | 7.5 | 100 | 1.92E-06 | 6.7 | 100 |
| 13 | 3.06E-06 | 1.4 | 100 | 3.10E-06 | 1.1 | 100 | 2.86E-06 | 7.5 | 100 | 2.84E-06 | 6.7 | 100 |
| 14 | 2.83E-06 | 1.4 | 100 | 2.88E-06 | 1.1 | 100 | 2.66E-06 | 7.5 | 100 | 2.63E-06 | 6.7 | 100 |
| 15 | 3.56E-06 | 1.4 | 100 | 3.64E-06 | 1.1 | 100 | 3.32E-06 | 7.5 | 100 | 3.28E-06 | 6.7 | 100 |
| 16 | 5.17E-06 | 1.4 | 100 | 5.55E-06 | 1.1 | 100 | 4.62E-06 | 7.5 | 100 | 4.67E-06 | 6.7 | 100 |
| 17 | 3.01E-06 | 1.4 | 100 | 3.14E-06 | 1.1 | 100 | 2.90E-06 | 7.5 | 100 | 2.90E-06 | 6.7 | 100 |
| 18 | 5.30E-06 | 1.4 | 100 | 5.55E-06 | 1.1 | 100 | 5.24E-06 | 7.5 | 100 | 5.35E-06 | 6.7 | 100 |
| 19 | 3.91E-06 | 1.4 | 100 | 4.03E-06 | 1.1 | 100 | 3.81E-06 | 7.5 | 100 | 3.83E-06 | 6.7 | 100 |
| 20 | *1 7.16E-06 | 1.4 | 100 | 7.38E-06 | 1.1 | 100 | 6.54E-06 | 7.5 | 100 | *1 6.46E-06 | 6.7 | 100 |
| 21 | 5.53E-06 | 1.4 | 100 | 5.94E-06 | 1.1 | 100 | 5.61E-06 | 7.5 | 100 | 5.22E-06 | 6.7 | 100 |
| 22 | 5.54E-06 | 1.4 | 100 | 5.89E-06 | 1.1 | 100 | 5.32E-06 | 7.5 | 100 | 4.92E-06 | 6.7 | 100 |
| 23 | 4.84E-06 | 1.4 | 100 | 5.24E-06 | 1.1 | 100 | 4.73E-06 | 7.5 | 100 | 4.50E-06 | 6.7 | 100 |
| 24 | 4.55E-06 | 1.4 | 100 | 4.80E-06 | 1.1 | 100 | 4.54E-06 | 7.5 | 100 | 4.27E-06 | 6.7 | 100 |
| 25 | 3.74E-06 | 1.4 | 100 | 3.99E-06 | 1.1 | 100 | 3.79E-06 | 7.5 | 100 | 3.58E-06 | 6.7 | 100 |
| 26 | 2.44E-06 | 1.4 | 100 | *1 2.57E-06 | 1.1 | 100 | 2.43E-06 | 7.5 | 100 | 2.32E-06 | 6.7 | 100 |
| 27 | 1.79E-06 | 1.4 | 100 | 1.86E-06 | 1.1 | 100 | *1 2.06E-06 | 7.4 | 100 | 1.69E-06 | 6.7 | 100 |
| 28 | 9.43E-07 | 1.4 | 100 | 9.53E-07 | 1.1 | 100 | 9.94E-07 | 7.4 | 100 | 8.56E-07 | 6.7 | 100 |
| 29 | 1.09E-06 | 1.4 | 100 | 1.09E-06 | 1.1 | 100 | 1.16E-06 | 7.4 | 100 | 9.94E-07 | 6.7 | 100 |
| 30 | 1.67E-06 | 1.4 | 100 | 1.74E-06 | 1.1 | 100 | 1.80E-06 | 7.4 | 100 | 1.58E-06 | 6.7 | 100 |
| 31 | 3.99E-06 | 1.4 | 100 | 4.19E-06 | 1.1 | 100 | 3.98E-06 | 7.4 | 100 | 3.64E-06 | 6.7 | 100 |
| 1ヶ月値 | 4.08E-06 | 1.4 | 100 | 4.28E-06 | 1.1 | 100 | 3.94E-06 | 7.5 | 100 | 3.84E-06 | 6.7 | 100 |
| *2 最大値 | 1.79E-05 | 1.4 | 102 | 1.44E-05 | 1.2 | 103 | 2.27E-04 | 7.5 | 106 | 5.04E-05 | 6.7 | 102 |
| 最大値日時 | 12/20 16:02 | 12/01 00:01 | 12/01 19:11 | 12/26 10:21 | 12/01 00:01 | 12/30 01:53 | 12/27 12:01 | 12/01 00:01 | 12/27 12:01 | 12/20 16:12 | 12/01 00:01 | 12/01 04:55 |
| *2 最小値 | 3.43E-07 | 1.4 | 98 | 3.36E-07 | 1.1 | 98 | 0.00E+00 | 7.4 | 98 | 0.00E+00 | 6.7 | 98 |
| 最小値日時 | 12/28 19:41 | 12/01 00:01 | 12/02 19:04 | 12/11 23:29 | 12/06 13:54 | 12/01 02:28 | 12/01 16:04 | 12/27 12:01 | 12/22 04:12 | 12/28 20:05 | 12/01 00:01 | 12/03 01:42 |

*1:ろ紙交換

*2:最大・最小値に関しては、1日1回BG測定による、影響があるため、値に関しては、参考値扱いとする

測定月報

測定日: 2017/12

(2/7)

| 日 | モニタ | | | | | | | | | | | |
|--------|-----------------------------|--------------|---------------|-----------------------------|--------------|---------------|------------------------------|--------------|---------------|------------------------------|--------------|---------------|
| | A005 5/6号警備所前(DM49) | | | A006 5/6号警備所前(DM54) | | | A007 1号北側法面上(旧厚生棟)(DM-67) | | | A008 1号北側法面上(旧厚生棟)(DM-75) | | |
| | 濃度 (Bq/cm ³) | 計数率 (cps) | 流量 (L/min) | 濃度 (Bq/cm ³) | 計数率 (cps) | 流量 (L/min) | 濃度 (Bq/cm ³) | 計数率 (cps) | 流量 (L/min) | 濃度 (Bq/cm ³) | 計数率 (cps) | 流量 (L/min) |
| 1 | 3.67E-06 | 1.4 | 100 | 4.30E-06 | 1.7 | 100 | 4.28E-06 | 9.0 | 100 | *1 3.96E-06 | 8.3 | 100 |
| 2 | 3.40E-06 | 1.4 | 100 | 3.91E-06 | 1.7 | 100 | 3.89E-06 | 9.0 | 100 | 3.76E-06 | 8.0 | 100 |
| 3 | 4.95E-06 | 1.4 | 100 | 5.55E-06 | 1.7 | 100 | 5.96E-06 | 9.0 | 100 | 5.36E-06 | 8.0 | 100 |
| 4 | 5.29E-06 | 1.4 | 100 | 5.80E-06 | 1.7 | 100 | 6.16E-06 | 9.0 | 100 | 5.77E-06 | 8.0 | 100 |
| 5 | 3.85E-06 | 1.4 | 100 | 4.25E-06 | 1.7 | 100 | 4.32E-06 | 9.0 | 100 | 4.08E-06 | 8.0 | 100 |
| 6 | *1 4.58E-06 | 1.4 | 100 | 5.23E-06 | 1.7 | 100 | 5.23E-06 | 9.0 | 100 | 4.91E-06 | 8.0 | 100 |
| 7 | 5.96E-06 | 1.5 | 100 | 6.79E-06 | 1.7 | 100 | 6.51E-06 | 9.0 | 100 | 6.23E-06 | 8.0 | 100 |
| 8 | 4.94E-06 | 1.5 | 100 | 5.68E-06 | 1.7 | 100 | 5.25E-06 | 9.0 | 100 | 5.23E-06 | 8.0 | 100 |
| 9 | 3.53E-06 | 1.5 | 100 | 3.98E-06 | 1.7 | 100 | 4.07E-06 | 9.0 | 100 | 3.93E-06 | 8.0 | 100 |
| 10 | 5.64E-06 | 1.5 | 100 | 6.40E-06 | 1.7 | 100 | 6.37E-06 | 9.0 | 100 | 6.04E-06 | 8.0 | 100 |
| 11 | 5.32E-06 | 1.5 | 100 | 6.09E-06 | 1.7 | 100 | 5.84E-06 | 9.0 | 100 | 5.57E-06 | 8.0 | 100 |
| 12 | 1.90E-06 | 1.5 | 100 | 2.21E-06 | 1.7 | 100 | 2.20E-06 | 9.0 | 100 | 2.11E-06 | 8.0 | 100 |
| 13 | 2.77E-06 | 1.5 | 100 | 3.13E-06 | 1.7 | 100 | 3.21E-06 | 9.0 | 100 | 3.08E-06 | 8.0 | 100 |
| 14 | 2.54E-06 | 1.5 | 100 | *1 2.94E-06 | 1.7 | 100 | 3.08E-06 | 9.0 | 100 | 2.90E-06 | 8.0 | 100 |
| 15 | 3.22E-06 | 1.5 | 100 | 3.62E-06 | 1.7 | 100 | 3.76E-06 | 9.0 | 100 | 3.53E-06 | 8.0 | 100 |
| 16 | 4.67E-06 | 1.5 | 100 | 5.34E-06 | 1.7 | 100 | 5.51E-06 | 9.0 | 100 | 4.98E-06 | 8.0 | 100 |
| 17 | 2.76E-06 | 1.5 | 100 | 3.09E-06 | 1.7 | 100 | 3.34E-06 | 9.0 | 100 | 3.05E-06 | 8.0 | 100 |
| 18 | 5.01E-06 | 1.5 | 100 | 5.62E-06 | 1.7 | 100 | 5.85E-06 | 9.0 | 100 | 5.41E-06 | 8.0 | 100 |
| 19 | 3.70E-06 | 1.5 | 100 | 4.07E-06 | 1.7 | 100 | 4.24E-06 | 9.0 | 100 | 4.05E-06 | 8.0 | 100 |
| 20 | 6.30E-06 | 1.5 | 100 | 6.89E-06 | 1.7 | 100 | 7.20E-06 | 9.0 | 100 | 6.77E-06 | 8.0 | 100 |
| 21 | 5.49E-06 | 1.5 | 100 | 5.92E-06 | 1.7 | 100 | 6.13E-06 | 9.0 | 100 | 5.81E-06 | 8.0 | 100 |
| 22 | 5.23E-06 | 1.5 | 100 | 5.75E-06 | 1.7 | 100 | 5.87E-06 | 9.0 | 100 | 5.58E-06 | 8.0 | 100 |
| 23 | 4.82E-06 | 1.5 | 100 | 5.26E-06 | 1.7 | 100 | 5.36E-06 | 9.0 | 100 | 5.08E-06 | 8.0 | 100 |
| 24 | 4.69E-06 | 1.5 | 100 | 5.29E-06 | 1.7 | 100 | 5.23E-06 | 9.0 | 100 | 5.09E-06 | 8.0 | 100 |
| 25 | 3.68E-06 | 1.5 | 100 | 4.15E-06 | 1.7 | 100 | *1 4.42E-06 | 9.0 | 100 | 4.04E-06 | 8.0 | 100 |
| 26 | *1 2.33E-06 | 1.5 | 100 | 2.68E-06 | 1.7 | 100 | 2.76E-06 | 9.0 | 100 | 2.61E-06 | 8.0 | 100 |
| 27 | 1.70E-06 | 1.5 | 100 | 2.00E-06 | 1.7 | 100 | 2.02E-06 | 9.0 | 100 | *1 2.01E-06 | 7.9 | 100 |
| 28 | 8.61E-07 | 1.5 | 100 | 1.05E-06 | 1.7 | 100 | 1.06E-06 | 9.0 | 100 | 1.12E-06 | 7.9 | 100 |
| 29 | 1.08E-06 | 1.5 | 100 | 1.28E-06 | 1.7 | 100 | 1.26E-06 | 9.0 | 100 | 1.29E-06 | 7.9 | 100 |
| 30 | 1.57E-06 | 1.5 | 100 | 1.86E-06 | 1.7 | 100 | 1.93E-06 | 9.0 | 100 | 1.92E-06 | 7.9 | 100 |
| 31 | 3.51E-06 | 1.5 | 100 | 4.02E-06 | 1.7 | 100 | 4.19E-06 | 9.0 | 100 | 4.15E-06 | 7.9 | 100 |
| 1ヶ月値 | 3.83E-06 | 1.5 | 100 | 4.33E-06 | 1.7 | 100 | 4.40E-06 | 9.0 | 100 | 4.18E-06 | 8.0 | 100 |
| *2 最大値 | 1.21E-05 | 1.5 | 103 | 2.01E-05 | 1.7 | 102 | 1.32E-05 | 9.0 | 102 | 1.26E-05 | 8.4 | 103 |
| 最大値日時 | 12/11 08:46 | 12/06 14:06 | 12/04 21:06 | 12/14 14:23 | 12/01 00:01 | 12/01 07:29 | 12/11 08:42 | 12/01 00:01 | 12/01 00:57 | 12/11 08:50 | 12/01 00:01 | 12/12 20:15 |
| *2 最小値 | 0.00E+00 | 1.4 | 97 | 4.51E-07 | 1.7 | 98 | 0.00E+00 | 9.0 | 97 | 0.00E+00 | 7.9 | 97 |
| 最小値日時 | 12/06 14:06 | 12/01 00:01 | 12/03 22:41 | 12/28 19:10 | 12/01 00:01 | 12/02 01:40 | 12/25 14:32 | 12/01 00:01 | 12/09 07:36 | 12/01 16:16 | 12/27 11:44 | 12/02 19:19 |

*1:ろ紙交換

*2:最大・最小値に関しては、1日1回BG測定による、影響があるため、値に関しては、参考値扱いとする

測定月報

測定日: 2017/12

(3/7)

| 日 | モニタ | | | | | | | | | | | |
|--------|-----------------------------|--------------|---------------|-----------------------------|--------------|---------------|-----------------------------|--------------|---------------|-----------------------------|--------------|---------------|
| | A009 | | | A010 | | | A011 | | | A012 | | |
| | 1/2号西側法面上(DM59) | | | 1/2号西側法面上(DM65) | | | 3/4号西側法面上(DM64) | | | 3/4号西側法面上(DM48) | | |
| | 濃度 (Bq/cm ³) | 計数率 (cps) | 流量 (L/min) | 濃度 (Bq/cm ³) | 計数率 (cps) | 流量 (L/min) | 濃度 (Bq/cm ³) | 計数率 (cps) | 流量 (L/min) | 濃度 (Bq/cm ³) | 計数率 (cps) | 流量 (L/min) |
| 1 | 3.40E-06 | 7.1 | 100 | 3.67E-06 | 7.4 | 100 | 3.83E-06 | 3.7 | 100 | 3.75E-06 | 4.8 | 100 |
| 2 | 3.14E-06 | 7.1 | 100 | 3.44E-06 | 7.4 | 100 | 3.40E-06 | 3.7 | 100 | 3.37E-06 | 4.8 | 100 |
| 3 | 4.36E-06 | 7.1 | 100 | 4.96E-06 | 7.4 | 100 | 5.01E-06 | 3.7 | 100 | 4.92E-06 | 4.8 | 100 |
| 4 | 4.85E-06 | 7.1 | 100 | 5.43E-06 | 7.4 | 100 | 5.62E-06 | 3.7 | 100 | 5.42E-06 | 4.8 | 100 |
| 5 | 3.35E-06 | 7.1 | 100 | 3.71E-06 | 7.4 | 100 | 3.86E-06 | 3.7 | 100 | 3.73E-06 | 4.8 | 100 |
| 6 | 4.08E-06 | 7.1 | 100 | 4.63E-06 | 7.4 | 100 | 4.58E-06 | 3.7 | 100 | *1 4.65E-06 | 4.6 | 100 |
| 7 | 4.88E-06 | 7.1 | 100 | 5.58E-06 | 7.4 | 100 | 5.71E-06 | 3.7 | 100 | 5.84E-06 | 4.5 | 100 |
| 8 | 4.09E-06 | 7.1 | 100 | 4.85E-06 | 7.4 | 100 | 5.08E-06 | 3.7 | 100 | 5.02E-06 | 4.5 | 100 |
| 9 | 3.11E-06 | 7.1 | 100 | 3.62E-06 | 7.4 | 100 | 3.77E-06 | 3.7 | 100 | 3.69E-06 | 4.5 | 100 |
| 10 | 4.96E-06 | 7.1 | 100 | 5.57E-06 | 7.4 | 100 | 6.03E-06 | 3.7 | 100 | 5.84E-06 | 4.5 | 100 |
| 11 | 4.40E-06 | 7.1 | 100 | 5.02E-06 | 7.4 | 100 | 5.30E-06 | 3.7 | 100 | 5.27E-06 | 4.5 | 100 |
| 12 | 1.64E-06 | 7.1 | 100 | 1.79E-06 | 7.4 | 100 | 1.88E-06 | 3.7 | 100 | 1.93E-06 | 4.5 | 100 |
| 13 | 2.46E-06 | 7.1 | 100 | 2.75E-06 | 7.4 | 100 | 2.85E-06 | 3.7 | 100 | 2.92E-06 | 4.5 | 100 |
| 14 | 2.29E-06 | 7.1 | 100 | *1 2.72E-06 | 7.4 | 100 | 2.60E-06 | 3.7 | 100 | 2.64E-06 | 4.5 | 100 |
| 15 | 2.86E-06 | 7.1 | 100 | 3.28E-06 | 7.3 | 100 | 3.35E-06 | 3.7 | 100 | 3.32E-06 | 4.5 | 100 |
| 16 | 3.94E-06 | 7.1 | 100 | 4.45E-06 | 7.3 | 100 | 4.76E-06 | 3.7 | 100 | 4.76E-06 | 4.5 | 100 |
| 17 | 2.53E-06 | 7.1 | 100 | 2.89E-06 | 7.3 | 100 | 2.89E-06 | 3.7 | 100 | 2.94E-06 | 4.5 | 100 |
| 18 | 4.35E-06 | 7.1 | 100 | 5.06E-06 | 7.3 | 100 | 5.10E-06 | 3.7 | 100 | 5.16E-06 | 4.5 | 100 |
| 19 | 3.29E-06 | 7.1 | 100 | 3.63E-06 | 7.3 | 100 | 3.77E-06 | 3.7 | 100 | 3.76E-06 | 4.5 | 100 |
| 20 | 5.59E-06 | 7.1 | 100 | 6.24E-06 | 7.3 | 100 | 6.64E-06 | 3.7 | 100 | 6.64E-06 | 4.5 | 100 |
| 21 | *1 4.91E-06 | 7.1 | 100 | 5.26E-06 | 7.3 | 100 | *1 5.38E-06 | 3.6 | 100 | 5.30E-06 | 4.5 | 100 |
| 22 | 4.68E-06 | 7.0 | 100 | 5.18E-06 | 7.3 | 100 | 5.27E-06 | 3.5 | 100 | 5.37E-06 | 4.5 | 100 |
| 23 | 4.33E-06 | 7.0 | 100 | 4.59E-06 | 7.3 | 100 | 4.70E-06 | 3.5 | 100 | 4.69E-06 | 4.5 | 100 |
| 24 | 4.15E-06 | 7.0 | 100 | 4.52E-06 | 7.3 | 100 | 4.41E-06 | 3.5 | 100 | 4.50E-06 | 4.5 | 100 |
| 25 | 3.46E-06 | 7.0 | 100 | 3.72E-06 | 7.3 | 100 | 3.77E-06 | 3.5 | 100 | 3.84E-06 | 4.5 | 100 |
| 26 | 2.20E-06 | 7.0 | 100 | 2.33E-06 | 7.3 | 100 | 2.39E-06 | 3.5 | 100 | *1 2.38E-06 | 4.6 | 100 |
| 27 | 1.62E-06 | 7.0 | 100 | 1.72E-06 | 7.3 | 100 | 1.74E-06 | 3.5 | 100 | 1.65E-06 | 4.7 | 100 |
| 28 | 7.82E-07 | 7.0 | 100 | 8.39E-07 | 7.3 | 100 | 9.20E-07 | 3.5 | 100 | 7.77E-07 | 4.7 | 100 |
| 29 | 9.15E-07 | 7.0 | 100 | 1.00E-06 | 7.3 | 100 | 1.09E-06 | 3.5 | 100 | 9.48E-07 | 4.7 | 100 |
| 30 | 1.49E-06 | 7.0 | 100 | 1.59E-06 | 7.3 | 100 | 1.68E-06 | 3.5 | 100 | 1.54E-06 | 4.7 | 100 |
| 31 | 3.54E-06 | 7.0 | 100 | 3.84E-06 | 7.3 | 100 | 3.95E-06 | 3.5 | 100 | 3.91E-06 | 4.7 | 100 |
| 1ヶ月値 | 3.41E-06 | 7.1 | 100 | 3.80E-06 | 7.3 | 100 | 3.91E-06 | 3.6 | 100 | 3.89E-06 | 4.6 | 100 |
| X2 最大値 | 1.02E-05 | 7.1 | 104 | 1.52E-04 | 7.4 | 102 | 1.17E-05 | 3.7 | 102 | 1.22E-05 | 4.8 | 102 |
| 最大値日時 | 12/05 00:54 | 12/01 00:01 | 12/09 16:32 | 12/14 14:38 | 12/01 00:01 | 12/01 03:39 | 12/20 03:49 | 12/01 00:01 | 12/01 12:12 | 12/20 04:04 | 12/01 00:01 | 12/01 00:03 |
| X2 最小値 | 0.00E+00 | 7.0 | 96 | 0.00E+00 | 7.3 | 98 | 2.64E-07 | 3.5 | 98 | 0.00E+00 | 4.5 | 97 |
| 最小値日時 | 12/11 23:40 | 12/21 13:55 | 12/03 02:14 | 12/11 22:29 | 12/14 14:38 | 12/01 01:08 | 12/28 18:57 | 12/21 13:45 | 12/01 00:11 | 12/26 13:52 | 12/06 11:18 | 12/24 09:47 |

*1:ろ紙交換

*2:最大・最小値に関しては、1日1回BG測定による、影響があるため、値に関しては、参考値扱いとする

測定月報

測定日：2017/12

(4/7)

| 日 | モニタ | | | | | | | | | | | |
|--------|-----------------------------|--------------|---------------|-----------------------------|--------------|---------------|-----------------------------|--------------|---------------|-----------------------------|--------------|---------------|
| | A013 | | | A014 | | | A015 | | | A016 | | |
| | 4号南側法面上[3号南側](DM58) | | | 4号南側法面上[3号南側](DM51) | | | 登録S休憩所 (DM46) | | | 登録S休憩所 (DM62) | | |
| | 濃度 (Bq/cm ³) | 計数率 (cps) | 流量 (L/min) | 濃度 (Bq/cm ³) | 計数率 (cps) | 流量 (L/min) | 濃度 (Bq/cm ³) | 計数率 (cps) | 流量 (L/min) | 濃度 (Bq/cm ³) | 計数率 (cps) | 流量 (L/min) |
| 1 | 3.80E-06 | 1.4 | 100 | 3.92E-06 | 1.2 | 100 | 4.36E-06 | 2.5 | 100 | 4.34E-06 | 2.2 | 100 |
| 2 | 3.29E-06 | 1.4 | 100 | 3.46E-06 | 1.2 | 100 | 4.00E-06 | 2.5 | 100 | 4.08E-06 | 2.2 | 100 |
| 3 | 4.93E-06 | 1.4 | 100 | 5.02E-06 | 1.2 | 100 | 5.95E-06 | 2.5 | 100 | 6.06E-06 | 2.2 | 100 |
| 4 | 5.51E-06 | 1.4 | 100 | 5.71E-06 | 1.2 | 100 | 6.44E-06 | 2.5 | 100 | 6.51E-06 | 2.2 | 100 |
| 5 | 3.84E-06 | 1.4 | 100 | 3.99E-06 | 1.2 | 100 | 4.53E-06 | 2.5 | 100 | 4.48E-06 | 2.2 | 100 |
| 6 | 4.62E-06 | 1.4 | 100 | *1 4.70E-06 | 1.3 | 100 | *1 5.13E-06 | 2.6 | 100 | *1 5.20E-06 | 2.2 | 100 |
| 7 | 5.66E-06 | 1.4 | 100 | 5.54E-06 | 1.3 | 100 | 6.72E-06 | 2.7 | 100 | 7.15E-06 | 2.1 | 100 |
| 8 | 4.98E-06 | 1.4 | 100 | 4.77E-06 | 1.3 | 100 | 5.92E-06 | 2.7 | 100 | 6.45E-06 | 2.1 | 100 |
| 9 | 3.67E-06 | 1.4 | 100 | 3.59E-06 | 1.3 | 100 | 3.99E-06 | 2.7 | 100 | 4.32E-06 | 2.1 | 100 |
| 10 | 5.56E-06 | 1.4 | 100 | 5.45E-06 | 1.3 | 100 | 6.63E-06 | 2.7 | 100 | 6.96E-06 | 2.1 | 100 |
| 11 | 4.96E-06 | 1.4 | 100 | 4.92E-06 | 1.3 | 100 | 5.98E-06 | 2.7 | 100 | 6.31E-06 | 2.1 | 100 |
| 12 | 1.79E-06 | 1.4 | 100 | 1.78E-06 | 1.3 | 100 | 1.99E-06 | 2.7 | 100 | 2.16E-06 | 2.1 | 100 |
| 13 | 2.81E-06 | 1.4 | 100 | 2.74E-06 | 1.3 | 100 | 3.10E-06 | 2.7 | 100 | 3.30E-06 | 2.1 | 100 |
| 14 | 2.72E-06 | 1.4 | 100 | 2.61E-06 | 1.3 | 100 | 2.82E-06 | 2.7 | 100 | 2.98E-06 | 2.1 | 100 |
| 15 | 3.20E-06 | 1.4 | 100 | 3.13E-06 | 1.3 | 100 | 3.91E-06 | 2.7 | 100 | 4.17E-06 | 2.1 | 100 |
| 16 | 4.50E-06 | 1.4 | 100 | 4.44E-06 | 1.3 | 100 | 5.75E-06 | 2.7 | 100 | 6.04E-06 | 2.1 | 100 |
| 17 | 2.83E-06 | 1.4 | 100 | 2.79E-06 | 1.3 | 100 | 3.21E-06 | 2.7 | 100 | 3.42E-06 | 2.1 | 100 |
| 18 | 5.03E-06 | 1.4 | 100 | 4.96E-06 | 1.3 | 100 | 5.67E-06 | 2.7 | 100 | 5.96E-06 | 2.1 | 100 |
| 19 | 3.68E-06 | 1.4 | 100 | 3.53E-06 | 1.3 | 100 | 4.12E-06 | 2.7 | 100 | 4.34E-06 | 2.1 | 100 |
| 20 | 6.41E-06 | 1.4 | 100 | 6.28E-06 | 1.3 | 100 | 7.74E-06 | 2.7 | 100 | 8.22E-06 | 2.1 | 100 |
| 21 | 5.37E-06 | 1.4 | 100 | 5.31E-06 | 1.3 | 100 | 6.15E-06 | 2.7 | 100 | 6.60E-06 | 2.1 | 100 |
| 22 | 5.37E-06 | 1.4 | 100 | 5.18E-06 | 1.3 | 100 | 6.37E-06 | 2.7 | 100 | 6.72E-06 | 2.1 | 100 |
| 23 | 4.61E-06 | 1.4 | 100 | 4.52E-06 | 1.3 | 100 | 5.60E-06 | 2.7 | 100 | 5.80E-06 | 2.1 | 100 |
| 24 | 4.48E-06 | 1.4 | 100 | 4.34E-06 | 1.3 | 100 | 5.22E-06 | 2.7 | 100 | 5.44E-06 | 2.1 | 100 |
| 25 | *1 3.83E-06 | 1.4 | 100 | 3.74E-06 | 1.3 | 100 | 4.07E-06 | 2.7 | 100 | 4.32E-06 | 2.1 | 100 |
| 26 | 2.39E-06 | 1.3 | 100 | *1 2.40E-06 | 1.3 | 100 | *1 2.81E-06 | 2.6 | 100 | *1 2.78E-06 | 2.2 | 100 |
| 27 | 1.83E-06 | 1.3 | 100 | 1.84E-06 | 1.3 | 100 | 2.06E-06 | 2.6 | 100 | 1.93E-06 | 2.3 | 100 |
| 28 | 9.40E-07 | 1.3 | 100 | 9.02E-07 | 1.3 | 100 | 1.07E-06 | 2.6 | 100 | 9.55E-07 | 2.3 | 100 |
| 29 | 1.07E-06 | 1.3 | 100 | 1.04E-06 | 1.3 | 100 | 1.26E-06 | 2.6 | 100 | 1.14E-06 | 2.3 | 100 |
| 30 | 1.69E-06 | 1.3 | 100 | 1.70E-06 | 1.3 | 100 | 1.93E-06 | 2.6 | 100 | 1.81E-06 | 2.3 | 100 |
| 31 | 3.70E-06 | 1.3 | 100 | 3.79E-06 | 1.3 | 100 | 4.68E-06 | 2.6 | 100 | 4.61E-06 | 2.3 | 100 |
| 1ヶ月値 | 3.84E-06 | 1.4 | 100 | 3.81E-06 | 1.3 | 100 | 4.49E-06 | 2.6 | 100 | 4.66E-06 | 2.2 | 100 |
| *2 最大値 | 1.52E-05 | 1.4 | 103 | 1.23E-05 | 1.3 | 102 | 1.49E-05 | 2.7 | 102 | 1.54E-05 | 2.3 | 102 |
| 最大値日時 | 12/25 14:08 | 12/01 00:01 | 12/08 06:07 | 12/05 00:38 | 12/06 11:33 | 12/02 00:05 | 12/05 00:16 | 12/06 13:53 | 12/02 10:39 | 12/05 00:26 | 12/26 11:08 | 12/01 23:32 |
| *2 最小値 | 3.16E-07 | 1.3 | 97 | 0.00E+00 | 1.2 | 98 | 0.00E+00 | 2.5 | 98 | 0.00E+00 | 2.1 | 98 |
| 最小値日時 | 12/11 23:01 | 12/25 14:08 | 12/20 08:34 | 12/26 14:19 | 12/01 00:01 | 12/01 02:27 | 12/06 13:53 | 12/01 00:01 | 12/01 17:57 | 12/06 14:11 | 12/06 14:11 | 12/01 00:44 |

*1:ろ紙交換

*2:最大・最小値に関しては、1日1回BG測定による、影響があるため、値に関しては、参考値扱いとする

測定月報

測定日: 2017/12

(5/7)

| 日 | モニタ | | | | | | | | | | | |
|--------|-----------------------------|--------------|---------------|-----------------------------|--------------|---------------|-----------------------------|--------------|---------------|-----------------------------|--------------|---------------|
| | A017 旧情報棟(DM-77) | | | A018 旧情報棟(DM-57) | | | A019 シールド中央制御室(DM-53) | | | A020 シールド中央制御室(DM-50) | | |
| | 濃度 (Bq/cm ³) | 計数率 (cps) | 流量 (L/min) | 濃度 (Bq/cm ³) | 計数率 (cps) | 流量 (L/min) | 濃度 (Bq/cm ³) | 計数率 (cps) | 流量 (L/min) | 濃度 (Bq/cm ³) | 計数率 (cps) | 流量 (L/min) |
| 1 | *1 3.52E-06 | 7.7 | 100 | *1 3.68E-06 | 5.8 | 100 | 3.91E-06 | 3.3 | 100 | 4.17E-06 | 3.1 | 100 |
| 2 | 3.36E-06 | 7.5 | 100 | 3.38E-06 | 5.7 | 100 | 3.48E-06 | 3.3 | 100 | 3.67E-06 | 3.1 | 100 |
| 3 | 4.98E-06 | 7.5 | 100 | 5.01E-06 | 5.7 | 100 | 5.06E-06 | 3.3 | 100 | 5.23E-06 | 3.1 | 100 |
| 4 | 5.24E-06 | 7.5 | 100 | 5.15E-06 | 5.7 | 100 | 5.72E-06 | 3.3 | 100 | 6.09E-06 | 3.1 | 100 |
| 5 | 3.67E-06 | 7.5 | 100 | 3.68E-06 | 5.7 | 100 | 3.96E-06 | 3.3 | 100 | 4.18E-06 | 3.1 | 100 |
| 6 | 4.29E-06 | 7.5 | 100 | 4.22E-06 | 5.7 | 100 | 4.69E-06 | 3.3 | 100 | 4.87E-06 | 3.1 | 100 |
| 7 | 5.69E-06 | 7.5 | 100 | 5.66E-06 | 5.7 | 100 | 5.78E-06 | 3.3 | 100 | 6.06E-06 | 3.1 | 100 |
| 8 | 5.04E-06 | 7.5 | 100 | 5.03E-06 | 5.7 | 100 | 4.97E-06 | 3.3 | 100 | 5.24E-06 | 3.1 | 100 |
| 9 | 3.53E-06 | 7.5 | 100 | 3.51E-06 | 5.7 | 100 | 3.66E-06 | 3.3 | 100 | 3.88E-06 | 3.1 | 100 |
| 10 | 5.49E-06 | 7.5 | 100 | 5.51E-06 | 5.7 | 100 | 5.70E-06 | 3.3 | 100 | 5.99E-06 | 3.1 | 100 |
| 11 | 5.20E-06 | 7.5 | 100 | 5.30E-06 | 5.7 | 100 | 5.14E-06 | 3.3 | 100 | 5.39E-06 | 3.1 | 100 |
| 12 | 1.91E-06 | 7.5 | 100 | 1.94E-06 | 5.7 | 100 | 1.76E-06 | 3.3 | 100 | 1.85E-06 | 3.1 | 100 |
| 13 | 2.71E-06 | 7.5 | 100 | 2.78E-06 | 5.7 | 100 | 2.76E-06 | 3.3 | 100 | 2.95E-06 | 3.1 | 100 |
| 14 | 2.50E-06 | 7.5 | 100 | 2.55E-06 | 5.7 | 100 | 2.58E-06 | 3.3 | 100 | *1 2.81E-06 | 3.1 | 100 |
| 15 | 3.27E-06 | 7.5 | 100 | 3.30E-06 | 5.7 | 100 | 3.26E-06 | 3.3 | 100 | 3.68E-06 | 3.1 | 100 |
| 16 | 4.62E-06 | 7.5 | 100 | 4.59E-06 | 5.7 | 100 | 4.65E-06 | 3.3 | 100 | 5.29E-06 | 3.1 | 100 |
| 17 | 2.85E-06 | 7.5 | 100 | 2.85E-06 | 5.7 | 100 | 2.88E-06 | 3.3 | 100 | 3.22E-06 | 3.1 | 100 |
| 18 | 5.07E-06 | 7.5 | 100 | 5.13E-06 | 5.7 | 100 | 5.16E-06 | 3.3 | 100 | 5.67E-06 | 3.1 | 100 |
| 19 | 3.56E-06 | 7.5 | 100 | 3.55E-06 | 5.7 | 100 | 3.67E-06 | 3.3 | 100 | 4.21E-06 | 3.1 | 100 |
| 20 | 6.51E-06 | 7.5 | 100 | 6.56E-06 | 5.7 | 100 | *1 6.45E-06 | 3.3 | 100 | 7.41E-06 | 3.1 | 100 |
| 21 | 5.27E-06 | 7.5 | 100 | 5.27E-06 | 5.7 | 100 | 5.26E-06 | 3.4 | 100 | 6.13E-06 | 3.1 | 100 |
| 22 | 5.46E-06 | 7.5 | 100 | 5.40E-06 | 5.7 | 100 | 5.21E-06 | 3.4 | 100 | 6.12E-06 | 3.1 | 100 |
| 23 | 4.60E-06 | 7.5 | 100 | 4.64E-06 | 5.7 | 100 | 4.61E-06 | 3.4 | 100 | 5.39E-06 | 3.1 | 100 |
| 24 | *8 4.64E-06 | 7.5 | 100 | 4.59E-06 | 5.7 | 100 | 4.41E-06 | 3.4 | 100 | 5.09E-06 | 3.1 | 100 |
| 25 | 3.64E-06 | 7.0 | 100 | 3.66E-06 | 5.7 | 100 | 3.66E-06 | 3.4 | 100 | 4.18E-06 | 3.1 | 100 |
| 26 | 2.31E-06 | 7.0 | 100 | 2.33E-06 | 5.7 | 100 | 2.26E-06 | 3.4 | 100 | 2.54E-06 | 3.1 | 100 |
| 27 | 1.82E-06 | 7.0 | 100 | *1 1.70E-06 | 5.9 | 100 | 1.72E-06 | 3.4 | 100 | 1.96E-06 | 3.1 | 100 |
| 28 | 1.11E-06 | 7.0 | 100 | 8.41E-07 | 6.1 | 100 | 8.92E-07 | 3.4 | 100 | 9.94E-07 | 3.1 | 100 |
| 29 | 1.25E-06 | 7.0 | 100 | 9.91E-07 | 6.1 | 100 | 1.01E-06 | 3.4 | 100 | 1.15E-06 | 3.1 | 100 |
| 30 | 1.75E-06 | 7.0 | 100 | 1.48E-06 | 6.1 | 100 | 1.58E-06 | 3.4 | 100 | 1.79E-06 | 3.1 | 100 |
| 31 | 4.08E-06 | 7.0 | 100 | 3.83E-06 | 6.1 | 100 | 3.50E-06 | 3.4 | 100 | 3.89E-06 | 3.1 | 100 |
| 1ヶ月値 | 3.83E-06 | 7.4 | 100 | 3.81E-06 | 5.8 | 100 | 3.85E-06 | 3.3 | 100 | 4.23E-06 | 3.1 | 100 |
| *2 最大値 | 2.33E-05 | 7.8 | 102 | 1.56E-04 | 6.1 | 102 | 1.19E-05 | 3.4 | 103 | 1.30E-05 | 3.1 | 102 |
| 最大値日時 | 12/24 22:02 | 12/01 00:01 | 12/25 18:33 | 12/01 15:21 | 12/27 11:30 | 12/02 21:22 | 12/05 00:24 | 12/20 16:12 | 12/12 22:57 | 12/20 05:15 | 12/01 00:01 | 12/01 06:42 |
| *2 最小値 | 0.00E+00 | 7.0 | 65 | 0.00E+00 | 5.7 | 98 | 0.00E+00 | 3.3 | 97 | 0.00E+00 | 3.1 | 98 |
| 最小値日時 | 12/01 15:09 | 12/24 22:02 | 12/24 19:37 | 12/27 11:31 | 12/01 15:21 | 12/01 01:16 | 12/20 16:12 | 12/01 00:01 | 12/01 10:10 | 12/14 14:22 | 12/01 00:01 | 12/01 01:35 |

*1:ろ紙交換 *8:機器異常

*2:最大・最小値に関しては、1日1回BG測定による、影響があるため、値に関しては、参考値扱いとする

測定月報

測定日: 2017/12

(6/7)

| 日 | モニタ | | | | | | | | | | | |
|--------|-----------------------------|--------------|---------------|-----------------------------|--------------|---------------|-----------------------------|--------------|---------------|-----------------------------|--------------|---------------|
| | A021 | | | A022 | | | A027 | | | A028 | | |
| | Hタンクエリア (DM60) | | | Hタンクエリア (DM55) | | | 1号機海側4m盤(DM-68) | | | 1号機海側4m盤(DM-70) | | |
| | 濃度 (Bq/cm ³) | 計数率 (cps) | 流量 (L/min) | 濃度 (Bq/cm ³) | 計数率 (cps) | 流量 (L/min) | 濃度 (Bq/cm ³) | 計数率 (cps) | 流量 (L/min) | 濃度 (Bq/cm ³) | 計数率 (cps) | 流量 (L/min) |
| 1 | 4.30E-06 | 2.4 | 100 | 4.07E-06 | 2.6 | 100 | 4.23E-06 | 4.3 | 100 | *1 4.25E-06 | 5.5 | 100 |
| 2 | 3.93E-06 | 2.4 | 100 | 3.65E-06 | 2.6 | 100 | 4.15E-06 | 4.3 | 100 | 4.02E-06 | 5.4 | 100 |
| 3 | 5.60E-06 | 2.4 | 100 | 5.15E-06 | 2.6 | 100 | 6.24E-06 | 4.3 | 100 | 6.01E-06 | 5.4 | 100 |
| 4 | 6.17E-06 | 2.4 | 100 | 5.79E-06 | 2.6 | 100 | 6.08E-06 | 4.3 | 100 | 5.83E-06 | 5.4 | 100 |
| 5 | 4.38E-06 | 2.4 | 100 | 4.07E-06 | 2.6 | 100 | 4.22E-06 | 4.3 | 100 | 4.11E-06 | 5.4 | 100 |
| 6 | *1 5.08E-06 | 2.5 | 100 | 4.71E-06 | 2.6 | 100 | 5.12E-06 | 4.3 | 100 | 4.98E-06 | 5.4 | 100 |
| 7 | 6.35E-06 | 2.5 | 100 | 5.99E-06 | 2.6 | 100 | 6.62E-06 | 4.3 | 100 | 6.53E-06 | 5.4 | 100 |
| 8 | 5.48E-06 | 2.5 | 100 | 5.14E-06 | 2.6 | 100 | 5.29E-06 | 4.3 | 100 | 5.52E-06 | 5.4 | 100 |
| 9 | 4.12E-06 | 2.5 | 100 | 3.82E-06 | 2.6 | 100 | 4.10E-06 | 4.3 | 100 | 4.02E-06 | 5.4 | 100 |
| 10 | 6.52E-06 | 2.5 | 100 | 6.04E-06 | 2.6 | 100 | 6.76E-06 | 4.3 | 100 | 6.63E-06 | 5.4 | 100 |
| 11 | 5.73E-06 | 2.5 | 100 | 5.32E-06 | 2.6 | 100 | 6.07E-06 | 4.3 | 100 | 5.99E-06 | 5.4 | 100 |
| 12 | 2.11E-06 | 2.5 | 100 | 1.98E-06 | 2.6 | 100 | 2.31E-06 | 4.3 | 100 | 2.27E-06 | 5.4 | 100 |
| 13 | 3.13E-06 | 2.5 | 100 | 2.94E-06 | 2.6 | 100 | 3.14E-06 | 4.3 | 100 | 3.10E-06 | 5.4 | 100 |
| 14 | 2.93E-06 | 2.5 | 100 | *1 2.72E-06 | 2.7 | 100 | 3.03E-06 | 4.3 | 100 | 2.89E-06 | 5.4 | 100 |
| 15 | 3.75E-06 | 2.5 | 100 | 3.37E-06 | 2.8 | 100 | 3.71E-06 | 4.3 | 100 | 3.64E-06 | 5.4 | 100 |
| 16 | 5.33E-06 | 2.5 | 100 | 4.71E-06 | 2.8 | 100 | 5.37E-06 | 4.3 | 100 | 5.20E-06 | 5.4 | 100 |
| 17 | 3.25E-06 | 2.5 | 100 | 2.94E-06 | 2.8 | 100 | 3.29E-06 | 4.3 | 100 | 3.20E-06 | 5.4 | 100 |
| 18 | 5.70E-06 | 2.5 | 100 | 5.04E-06 | 2.8 | 100 | 5.71E-06 | 4.3 | 100 | 5.60E-06 | 5.4 | 100 |
| 19 | 4.21E-06 | 2.5 | 100 | 3.78E-06 | 2.8 | 100 | 4.30E-06 | 4.3 | 100 | 4.27E-06 | 5.4 | 100 |
| 20 | 7.39E-06 | 2.5 | 100 | 6.74E-06 | 2.8 | 100 | 7.47E-06 | 4.3 | 100 | 7.25E-06 | 5.4 | 100 |
| 21 | 6.16E-06 | 2.5 | 100 | 5.60E-06 | 2.8 | 100 | 6.28E-06 | 4.3 | 100 | 6.21E-06 | 5.4 | 100 |
| 22 | 6.05E-06 | 2.5 | 100 | 5.41E-06 | 2.7 | 100 | 5.82E-06 | 4.3 | 100 | 5.72E-06 | 5.4 | 100 |
| 23 | 5.33E-06 | 2.5 | 100 | 4.71E-06 | 2.7 | 100 | 5.57E-06 | 4.3 | 100 | 5.41E-06 | 5.4 | 100 |
| 24 | 5.10E-06 | 2.5 | 100 | 4.66E-06 | 2.7 | 100 | 5.35E-06 | 4.3 | 100 | 5.19E-06 | 5.4 | 100 |
| 25 | 4.17E-06 | 2.5 | 100 | 3.74E-06 | 2.7 | 100 | 4.27E-06 | 4.3 | 100 | 4.15E-06 | 5.4 | 100 |
| 26 | *1 2.66E-06 | 2.6 | 100 | 2.38E-06 | 2.7 | 100 | *1 2.76E-06 | 4.3 | 100 | 2.66E-06 | 5.4 | 100 |
| 27 | 1.84E-06 | 2.7 | 100 | 1.75E-06 | 2.7 | 100 | 1.92E-06 | 4.4 | 100 | *1 2.04E-06 | 5.3 | 100 |
| 28 | 9.18E-07 | 2.7 | 100 | 9.14E-07 | 2.7 | 100 | 9.95E-07 | 4.4 | 100 | 1.18E-06 | 5.2 | 100 |
| 29 | 1.06E-06 | 2.7 | 100 | 1.06E-06 | 2.7 | 100 | 1.18E-06 | 4.4 | 100 | 1.42E-06 | 5.2 | 100 |
| 30 | 1.72E-06 | 2.7 | 100 | 1.64E-06 | 2.7 | 100 | 1.77E-06 | 4.4 | 100 | 1.99E-06 | 5.2 | 100 |
| 31 | 4.20E-06 | 2.7 | 100 | 4.05E-06 | 2.7 | 100 | 4.62E-06 | 4.4 | 100 | 4.97E-06 | 5.2 | 100 |
| 1ヶ月値 | 4.34E-06 | 2.5 | 100 | 3.99E-06 | 2.7 | 100 | 4.43E-06 | 4.3 | 100 | 4.39E-06 | 5.4 | 100 |
| *2 最大値 | 1.28E-05 | 2.7 | 116 | 1.26E-05 | 2.8 | 101 | 1.40E-05 | 4.4 | 102 | 1.43E-05 | 5.6 | 102 |
| 最大値日時 | 12/04 23:47 | 12/26 14:33 | 12/06 11:49 | 12/04 23:57 | 12/14 14:31 | 12/01 00:59 | 12/11 08:38 | 12/26 14:03 | 12/03 07:19 | 12/11 08:48 | 12/01 00:01 | 12/01 12:04 |
| *2 最小値 | 0.00E+00 | 2.4 | 98 | 0.00E+00 | 2.6 | 98 | 0.00E+00 | 4.3 | 97 | 0.00E+00 | 5.2 | 97 |
| 最小値日時 | 12/06 11:49 | 12/01 00:01 | 12/01 00:35 | 12/14 14:31 | 12/01 00:01 | 12/15 05:45 | 12/26 14:03 | 12/01 00:01 | 12/19 18:21 | 12/01 15:06 | 12/27 11:24 | 12/02 04:46 |

*1:ろ紙交換

*2:最大・最小値に関しては、1日1回BG測定による、影響があるため、値に関しては、参考値扱いとする

測定月報

測定日: 2017/12

(7/7)

| 日 | モニタ | | | | | | | | | | | |
|--------|-----------------------------|--------------|---------------|-----------------------------|--------------|---------------|-----------------------------|--------------|---------------|-----------------------------|--------------|---------------|
| | A029 3号機海側4m盤(DM-61) | | | A030 3号機海側4m盤(DM-66) | | | A031 HTI南側(DM-69) | | | A032 HTI南側(DM-73) | | |
| | 濃度 (Bq/cm ³) | 計数率 (cps) | 流量 (L/min) | 濃度 (Bq/cm ³) | 計数率 (cps) | 流量 (L/min) | 濃度 (Bq/cm ³) | 計数率 (cps) | 流量 (L/min) | 濃度 (Bq/cm ³) | 計数率 (cps) | 流量 (L/min) |
| 1 | *1 4.21E-06 | 4.9 | 100 | 4.16E-06 | 5.6 | 100 | 4.29E-06 | 10.1 | 100 | 3.73E-06 | 9.2 | 100 |
| 2 | 3.84E-06 | 5.0 | 100 | 3.86E-06 | 5.6 | 100 | 3.93E-06 | 10.1 | 100 | 3.50E-06 | 9.2 | 100 |
| 3 | 5.16E-06 | 5.0 | 100 | 5.29E-06 | 5.6 | 100 | 5.64E-06 | 10.1 | 100 | 5.08E-06 | 9.2 | 100 |
| 4 | 5.53E-06 | 5.0 | 100 | 5.72E-06 | 5.6 | 100 | 6.36E-06 | 10.1 | 100 | 5.54E-06 | 9.2 | 100 |
| 5 | 4.01E-06 | 5.0 | 100 | 4.05E-06 | 5.6 | 100 | 4.44E-06 | 10.1 | 100 | 3.79E-06 | 9.2 | 100 |
| 6 | 5.01E-06 | 5.0 | 100 | 5.05E-06 | 5.6 | 100 | 5.28E-06 | 10.1 | 100 | 4.57E-06 | 9.2 | 100 |
| 7 | 6.14E-06 | 5.0 | 100 | 6.28E-06 | 5.6 | 100 | 6.79E-06 | 10.1 | 100 | 5.81E-06 | 9.2 | 100 |
| 8 | 5.42E-06 | 5.0 | 100 | 5.58E-06 | 5.6 | 100 | 5.89E-06 | 10.1 | 100 | 4.98E-06 | 9.2 | 100 |
| 9 | 3.87E-06 | 5.0 | 100 | 3.95E-06 | 5.6 | 100 | 4.15E-06 | 10.1 | 100 | 3.69E-06 | 9.2 | 100 |
| 10 | 6.04E-06 | 5.0 | 100 | 6.19E-06 | 5.6 | 100 | 6.44E-06 | 10.1 | 100 | 5.77E-06 | 9.2 | 100 |
| 11 | 5.43E-06 | 5.0 | 100 | 5.48E-06 | 5.6 | 100 | 5.85E-06 | 10.1 | 100 | 5.24E-06 | 9.2 | 100 |
| 12 | 2.12E-06 | 5.0 | 100 | 2.14E-06 | 5.6 | 100 | 2.23E-06 | 10.1 | 100 | 1.91E-06 | 9.2 | 100 |
| 13 | 3.17E-06 | 5.0 | 100 | 3.23E-06 | 5.6 | 100 | 3.30E-06 | 10.1 | 100 | 2.85E-06 | 9.2 | 100 |
| 14 | 2.90E-06 | 5.0 | 100 | 2.97E-06 | 5.6 | 100 | 3.06E-06 | 10.1 | 100 | 2.68E-06 | 9.2 | 100 |
| 15 | 3.58E-06 | 5.0 | 100 | 3.64E-06 | 5.6 | 100 | 3.80E-06 | 10.1 | 100 | 3.38E-06 | 9.2 | 100 |
| 16 | 4.98E-06 | 5.0 | 100 | 4.99E-06 | 5.6 | 100 | 5.28E-06 | 10.1 | 100 | 4.93E-06 | 9.2 | 100 |
| 17 | 3.48E-06 | 5.0 | 100 | 3.23E-06 | 5.6 | 100 | 3.32E-06 | 10.1 | 100 | 2.85E-06 | 9.2 | 100 |
| 18 | 5.71E-06 | 5.0 | 100 | 5.48E-06 | 5.6 | 100 | 5.79E-06 | 10.1 | 100 | 5.22E-06 | 9.2 | 100 |
| 19 | 4.47E-06 | 5.0 | 100 | 4.27E-06 | 5.6 | 100 | 4.42E-06 | 10.1 | 100 | 3.85E-06 | 9.2 | 100 |
| 20 | 7.14E-06 | 5.0 | 100 | *1 6.83E-06 | 5.6 | 100 | 7.33E-06 | 10.1 | 100 | *1 6.68E-06 | 9.2 | 100 |
| 21 | 5.97E-06 | 5.0 | 100 | 5.35E-06 | 5.5 | 100 | 6.18E-06 | 10.1 | 100 | 5.35E-06 | 9.1 | 100 |
| 22 | 5.93E-06 | 5.0 | 100 | 5.37E-06 | 5.5 | 100 | 6.18E-06 | 10.1 | 100 | 5.29E-06 | 9.1 | 100 |
| 23 | 5.48E-06 | 5.0 | 100 | 4.92E-06 | 5.5 | 100 | 5.30E-06 | 10.1 | 100 | 4.66E-06 | 9.1 | 100 |
| 24 | 5.56E-06 | 5.0 | 100 | 5.06E-06 | 5.5 | 100 | 6.71E-06 | 10.1 | 100 | 5.62E-06 | 9.1 | 100 |
| 25 | 4.39E-06 | 5.0 | 100 | 3.90E-06 | 5.5 | 100 | *1 4.15E-06 | 10.1 | 100 | 3.61E-06 | 9.1 | 100 |
| 26 | 2.94E-06 | 5.0 | 100 | 2.49E-06 | 5.5 | 100 | 2.56E-06 | 10.2 | 100 | 2.29E-06 | 9.1 | 100 |
| 27 | *1 1.99E-06 | 5.4 | 100 | 1.86E-06 | 5.5 | 100 | 1.99E-06 | 10.2 | 100 | 1.73E-06 | 9.1 | 100 |
| 28 | 9.02E-07 | 5.8 | 100 | 1.01E-06 | 5.5 | 100 | 1.05E-06 | 10.2 | 100 | 8.90E-07 | 9.1 | 100 |
| 29 | 1.09E-06 | 5.8 | 100 | 1.20E-06 | 5.5 | 100 | 1.20E-06 | 10.2 | 100 | 1.05E-06 | 9.1 | 100 |
| 30 | 1.76E-06 | 5.8 | 100 | 1.78E-06 | 5.5 | 100 | 1.82E-06 | 10.2 | 100 | 1.62E-06 | 9.1 | 100 |
| 31 | 4.13E-06 | 5.8 | 100 | 3.94E-06 | 5.5 | 100 | 4.01E-06 | 10.2 | 100 | 3.73E-06 | 9.1 | 100 |
| 1ヶ月値 | 4.27E-06 | 5.1 | 100 | 4.17E-06 | 5.6 | 100 | 4.48E-06 | 10.1 | 100 | 3.93E-06 | 9.2 | 100 |
| *2 最大値 | 1.36E-05 | 5.8 | 103 | 1.41E-05 | 5.6 | 103 | 2.23E-05 | 10.2 | 102 | 5.54E-05 | 9.2 | 102 |
| 最大値日時 | 12/11 08:39 | 12/27 11:15 | 12/01 02:15 | 12/11 08:58 | 12/01 00:01 | 12/21 19:19 | 12/24 17:30 | 12/25 14:18 | 12/02 02:52 | 12/20 16:07 | 12/01 00:01 | 12/02 04:02 |
| *2 最小値 | 0.00E+00 | 4.8 | 96 | 0.00E+00 | 5.5 | 97 | 0.00E+00 | 10.1 | 98 | 0.00E+00 | 9.1 | 98 |
| 最小値日時 | 12/01 15:16 | 12/01 00:01 | 12/23 01:51 | 12/20 16:21 | 12/20 16:20 | 12/06 07:27 | 12/12 02:14 | 12/01 00:01 | 12/01 01:50 | 12/11 22:06 | 12/20 16:07 | 12/01 05:27 |

*1:ろ紙交換

*2:最大・最小値に関しては、1日1回BG測定による、影響があるため、値に関しては、参考値扱いとする