

# 測定月報

測定日: 2016/09

(1/10)

日	モニタ									
	B001	B002	B003	B004	B005	B006	B007	B008	B009	B010
	入退域管理棟周辺 線量率 ( $\mu$ Sv/h)	正門警備所周辺 線量率 ( $\mu$ Sv/h)	環境管理棟周辺 線量率 ( $\mu$ Sv/h)	車両スクリーニング場周辺 線量率 ( $\mu$ Sv/h)	厚生棟休憩所周辺 線量率 ( $\mu$ Sv/h)	登録センター休憩所周辺 線量率 ( $\mu$ Sv/h)	5/6号サービス建屋休憩所周辺 線量率 ( $\mu$ Sv/h)	シールド中央制御室周辺 線量率 ( $\mu$ Sv/h)	免震重要棟周辺 線量率 ( $\mu$ Sv/h)	5/6号防護本部周辺 線量率 ( $\mu$ Sv/h)
1	0.329	0.734	3.139	0.588	0.795	1.823	1.506	3.549	7.830	1.362
2	0.326	0.724	3.125	0.586	0.796	1.831	1.515	3.554	7.820	1.361
3	0.329	0.720	3.159	0.584	0.801	1.830	1.521	3.565	7.829	1.365
4	0.331	0.738	3.139	0.582	0.793	1.830	1.509	3.518	7.821	1.358
5	0.332	0.741	3.128	0.590	0.801	1.826	1.522	3.550	7.840	1.370
6	0.334	0.725	3.147	0.601	0.815	1.838	1.536	3.587	7.884	1.384
7	0.325	0.703	3.096	0.598	0.804	1.836	1.486	3.505	7.795	1.349
8	0.324	0.709	3.064	0.591	0.796	1.820	1.468	3.475	7.743	1.335
9	0.323	0.759	3.084	0.584	0.793	1.815	1.477	3.464	7.748	1.343
10	0.330	0.789	3.121	0.587	0.795	1.821	1.500	3.498	7.780	1.353
11	0.325	0.789	3.117	0.580	0.791	1.821	1.496	3.481	7.731	1.341
12	0.319	0.727	3.019	0.572	0.767	1.800	1.432	3.364	7.578	1.289
13	0.317	0.700	2.986	0.564	0.753	1.787	1.407	3.210	7.513	1.261
14	0.313	0.712	3.066	0.576	0.773	1.810	1.452	3.398	7.627	1.299
15	0.318	0.718	3.091	0.581	0.777	1.817	1.473	3.430	7.676	1.325
16	0.320	0.697	3.056	0.583	0.781	1.811	1.484	3.435	7.700	1.331
17	0.329	0.689	3.066	0.585	0.785	1.814	1.483	3.437	7.707	1.330
18	0.321	0.681	3.005	0.570	0.763	1.791	1.425	3.328	7.583	1.279
19	0.317	0.681	3.019	0.571	0.763	1.792	1.434	3.356	7.584	1.284
20	0.315	0.680	2.957	0.565	0.748	1.789	1.402	3.166	7.484	1.252
21	0.310	0.686	2.999	0.566	0.765	1.797	1.428	3.330	7.528	1.272
22	0.312	0.682	2.999	0.563	0.753	1.783	1.411	3.309	7.500	1.264
23	0.311	0.677	2.987	0.570	0.763	1.809	1.432	3.338	7.558	1.283
24	0.316	0.683	3.020	0.571	0.765	1.804	1.428	3.346	7.559	1.277
25	0.317	0.689	3.038	0.573	0.769	1.808	1.445	3.369	7.598	1.295
26	0.316	0.683	3.027	0.572	0.766	1.796	1.450	3.310	7.585	1.300
27	0.315	0.683	3.030	0.570	0.763	1.789	1.449	3.279	7.585	1.300
28	0.314	0.681	3.007	0.574	0.766	1.792	1.457	3.315	7.636	1.316
29	0.309	0.679	2.979	0.570	0.758	1.788	1.424	3.254	7.535	1.284
30	0.309	0.675	3.033	0.570	0.763	1.816	1.441	3.337	7.559	1.291
31										
1ヶ月値	0.320	0.708	3.057	0.578	0.777	1.810	1.463	3.402	7.664	1.315
最大値	0.376	0.881	3.282	0.640	0.872	1.956	1.608	3.706	8.066	1.452
最大値日時	09/17 22:50	09/09 10:10	09/06 19:00	09/01 22:30	09/06 16:50	09/09 08:10	09/06 20:10	09/06 19:40	09/06 22:40	09/06 09:40
最小値	0.260	0.610	2.684	0.523	0.685	1.674	1.329	2.767	7.246	1.184
最小値日時	09/23 06:50	09/20 18:30	09/16 08:50	09/26 19:00	09/29 06:30	09/29 22:50	09/22 23:20	09/20 07:30	09/13 10:50	09/20 21:50

# 測定月報

測定日: 2016/09

(2/10)

日	モニタ									
	B011	B012	B013	B014	B015	B016	B017	B018	B019	B020
	1号北側法面上周辺	1/2号西側法面上周辺	3/4号西側法面上周辺	4号南側法面上周辺	一般焼却炉周辺	車両整備場周辺	多核種除去施設周辺	キャスク保管施設周辺	野鳥の森五差路周辺	5/6号機西側周辺
	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)
1	60.379	53.892	18.772	2.518	26.822	0.997	0.829	0.462	5.102	7.508
2	60.501	53.944	18.726	2.507	26.812	1.025	0.837	0.458	5.081	7.556
3	60.709	54.047	18.767	2.511	26.959	1.002	0.839	0.458	5.081	7.578
4	60.462	53.816	18.720	2.512	26.830	0.995	0.829	0.456	5.061	7.539
5	60.943	54.140	18.669	2.552	26.850	0.998	0.854	0.466	5.182	7.611
6	61.321	54.603	18.766	2.586	26.940	1.024	0.952	0.477	5.268	7.637
7	60.121	53.575	18.352	2.525	26.364	0.924	0.967	0.470	5.087	7.446
8	59.524	53.109	18.173	2.487	26.033	0.887	0.932	0.465	5.017	7.328
9	59.638	53.238	18.013	2.464	26.082	0.958	0.873	0.464	5.003	7.434
10	60.093	53.362	17.415	2.475	26.570	1.007	0.845	0.460	4.830	7.596
11	59.909	52.817	16.931	2.445	26.559	1.011	0.826	0.453	4.673	7.592
12	58.028	51.204	16.018	2.333	25.795	0.971	0.793	0.438	4.437	7.308
13	56.979	50.516	15.594	2.220	24.951	0.942	0.778	0.435	4.303	7.162
14	58.146	51.858	15.759	2.344	26.075	0.949	0.808	0.446	4.386	7.382
15	58.831	52.342	15.361	2.399	26.338	0.979	0.824	0.443	4.434	7.493
16	59.215	52.591	15.455	2.407	26.346	0.979	0.810	0.444	4.388	7.520
17	59.281	52.587	15.550	2.407	26.330	0.965	0.800	0.447	4.351	7.486
18	57.654	51.115	15.039	2.266	25.501	0.936	0.770	0.438	4.183	7.228
19	57.616	51.066	14.977	2.289	25.736	0.938	0.779	0.433	4.148	7.267
20	56.563	49.839	14.424	2.168	24.653	0.929	0.769	0.432	3.972	7.107
21	57.543	50.548	14.548	2.245	25.797	0.946	0.783	0.434	3.979	7.305
22	57.402	50.365	14.590	2.243	25.564	0.918	0.806	0.425	4.007	7.236
23	57.949	50.894	14.871	2.292	25.812	0.955	0.821	0.437	4.110	7.293
24	57.834	50.805	14.843	2.298	25.853	0.945	0.820	0.427	4.072	7.271
25	58.400	51.200	14.969	2.326	26.040	0.949	0.831	0.431	4.115	7.345
26	58.439	51.208	15.000	2.346	25.985	0.948	0.874	0.433	4.161	7.349
27	58.539	51.256	15.006	2.345	25.958	0.955	0.900	0.428	4.162	7.361
28	58.690	51.462	15.321	2.380	25.951	0.940	0.901	0.442	4.221	7.376
29	58.307	50.557	14.951	2.284	25.540	0.923	0.885	0.430	4.030	7.203
30	58.953	50.672	14.882	2.304	25.915	0.929	0.903	0.426	3.989	7.343
31										
1ヶ月値	58.932	52.088	16.282	2.383	26.101	0.961	0.841	0.445	4.494	7.396
最大値	62.302	55.263	19.230	2.706	27.437	1.290	1.086	0.680	5.474	7.825
最大値日時	09/06 18:30	09/06 15:30	09/06 18:50	09/06 13:10	09/06 19:00	09/02 09:40	09/30 11:00	09/21 11:10	09/06 17:20	09/06 16:40
最小値	55.635	44.292	13.850	2.003	23.476	0.763	0.699	0.389	3.628	6.776
最小値日時	09/20 22:10	09/13 10:50	09/12 09:50	09/20 05:10	09/20 06:40	09/29 09:10	09/20 12:00	09/30 06:00	09/20 07:40	09/20 06:50

# 測定月報

測定日: 2016/09

(3/10)

日	モニタ									
	B021	B022	B023	B024	B025	B026	B027	B028	B029	B030
	研修棟周辺 線量率 ( $\mu\text{Sv/h}$ )	企業棟休憩所A棟周辺 線量率 ( $\mu\text{Sv/h}$ )	増設多核種除去設備西側周辺 線量率 ( $\mu\text{Sv/h}$ )	Hタンクエリア周辺(増設ダストモニタ小屋裏) 線量率 ( $\mu\text{Sv/h}$ )	1・2号機海側(4m壁) 線量率 ( $\mu\text{Sv/h}$ )	3・4号機海側(4m壁) 線量率 ( $\mu\text{Sv/h}$ )	固体廃棄物貯蔵庫管理棟周辺 線量率 ( $\mu\text{Sv/h}$ )	高性能多核種除去設備周辺 線量率 ( $\mu\text{Sv/h}$ )	サブドレン浄化設備周辺 線量率 ( $\mu\text{Sv/h}$ )	給油所周辺 線量率 ( $\mu\text{Sv/h}$ )
1	2.034	0.860	0.447	7.849	19.933	31.776	15.811	2.409	0.338	0.627
2	2.046	0.860	0.447	7.891	19.931	31.905	15.897	2.411	0.406	0.625
3	2.055	0.869	0.446	7.915	20.006	31.948	15.976	2.418	0.464	0.626
4	2.047	0.865	0.445	7.862	19.988	31.836	15.850	2.407	0.464	0.625
5	2.050	0.858	0.457	7.951	20.151	32.129	16.020	2.423	0.506	0.660
6	2.056	0.866	0.468	8.038	20.323	32.233	16.109	2.424	0.546	0.836
7	2.021	0.847	0.464	7.935	20.011	31.568	15.640	2.375	0.566	0.889
8	2.004	0.844	0.461	7.870	19.823	31.153	15.386	2.359	0.584	0.834
9	2.007	0.840	0.459	7.892	19.769	31.096	15.435	2.357	0.540	0.721
10	2.031	0.858	0.451	7.951	19.676	31.190	15.696	2.385	0.513	0.666
11	2.033	0.859	0.442	7.905	19.445	30.937	15.688	2.385	0.502	0.645
12	1.972	0.831	0.428	7.750	18.756	29.753	15.064	2.306	0.492	0.624
13	1.944	0.814	0.423	7.606	18.030	28.939	14.770	2.288	0.481	0.608
14	1.978	0.834	0.426	7.791	18.201	29.669	15.160	2.334	0.473	0.616
15	1.995	0.846	0.433	7.870	18.430	30.030	15.403	2.350	0.486	0.618
16	2.001	0.846	0.429	7.881	18.410	30.100	15.511	2.359	0.532	0.621
17	2.003	0.854	0.435	7.853	18.416	30.008	15.479	2.361	0.515	0.620
18	1.953	0.832	0.423	7.686	17.843	28.932	14.923	2.302	0.501	0.607
19	1.953	0.831	0.421	7.703	17.840	28.991	14.940	2.297	0.497	0.605
20	1.937	0.820	0.415	7.544	17.273	28.031	14.621	2.268	0.505	0.597
21	1.961	0.831	0.408	7.717	17.475	28.575	15.082	2.301	0.475	0.599
22	1.943	0.827	0.409	7.689	17.286	28.445	14.969	2.284	0.466	0.596
23	1.960	0.830	0.415	7.727	17.365	28.829	15.031	2.301	0.553	0.601
24	1.953	0.833	0.414	7.724	17.362	28.829	15.090	2.304	0.612	0.601
25	1.964	0.837	0.419	7.753	17.531	29.129	15.247	2.317	0.654	0.601
26	1.974	0.834	0.422	7.742	17.648	29.350	15.138	2.325	0.620	0.609
27	1.975	0.834	0.418	7.757	17.708	29.475	15.151	2.321	0.480	0.607
28	1.985	0.837	0.430	7.757	17.901	29.714	15.079	2.337	0.375	0.612
29	1.946	0.826	0.426	7.661	17.452	28.950	14.705	2.296	0.377	0.604
30	1.963	0.835	0.425	7.740	17.325	29.148	15.006	2.323	0.346	0.606
31										
1ヶ月値	1.991	0.842	0.434	7.800	18.577	30.089	15.329	2.344	0.496	0.644
最大値	2.149	0.924	0.510	8.224	20.666	32.741	19.409	2.548	0.943	0.943
最大値日時	09/11 07:20	09/01 11:20	09/06 18:50	09/06 12:00	09/06 19:40	09/06 16:20	09/27 22:00	09/05 16:00	09/25 10:20	09/08 04:30
最小値	1.853	0.708	0.376	7.260	16.300	27.290	13.520	2.148	0.282	0.554
最小値日時	09/13 14:00	09/13 09:30	09/22 16:30	09/20 07:20	09/28 10:40	09/20 21:40	09/21 08:50	09/21 09:10	09/30 10:10	09/16 02:30

# 測定月報

測定日: 2016/09

(4/10)

日	モニタ									
	B031	B032	B033	B034	B035	B036	B037	B038	B039	B040
	HIC保管エリア周辺	H8タンクエリア周辺	H4タンクエリア周辺	H5タンクエリア周辺	J2タンクエリア周辺	G6タンクエリア周辺	セシウム吸着塔中間貯蔵施設周辺	G4タンクエリア周辺	MP-8周辺	旧展望台周辺
	線量率 ( $\mu\text{Sv/h}$ )	線量率 ( $\mu\text{Sv/h}$ )	線量率 ( $\mu\text{Sv/h}$ )	線量率 ( $\mu\text{Sv/h}$ )	線量率 ( $\mu\text{Sv/h}$ )	線量率 ( $\mu\text{Sv/h}$ )	線量率 ( $\mu\text{Sv/h}$ )	線量率 ( $\mu\text{Sv/h}$ )	線量率 ( $\mu\text{Sv/h}$ )	線量率 ( $\mu\text{Sv/h}$ )
1	0.562	0.755	4.004	1.420	4.570	2.754	1.813	3.811	5.564	2.353
2	0.559	0.762	4.003	1.417	4.597	2.773	1.814	3.806	5.595	2.379
3	0.556	0.766	4.007	1.413	4.612	2.795	1.809	3.817	5.624	2.398
4	0.554	0.763	3.993	1.411	4.599	2.771	1.779	3.805	5.612	2.403
5	0.568	0.859	4.062	1.794	4.625	2.795	1.795	3.812	5.648	2.416
6	0.592	1.343	4.120	3.371	4.641	2.818	1.803	3.819	5.681	2.443
7	0.583	1.512	3.984	3.771	4.577	2.751	1.789	3.792	5.589	2.392
8	0.577	1.345	3.956	3.177	4.533	2.681	2.082	3.764	5.481	2.362
9	0.566	1.004	3.942	2.087	4.523	2.686	2.204	3.771	5.451	2.336
10	0.560	0.854	3.840	1.653	4.577	2.741	2.213	3.781	5.534	2.381
11	0.549	0.802	3.748	1.520	4.591	2.744	2.198	3.773	5.554	2.381
12	0.526	0.761	3.592	1.451	4.469	2.613	2.174	3.718	5.360	2.303
13	0.515	0.739	3.474	1.400	4.359	2.540	2.170	3.694	5.235	2.199
14	0.529	0.743	3.550	1.388	4.451	2.637	2.209	3.774	5.388	2.225
15	0.537	0.746	3.567	1.386	4.502	2.680	2.209	3.750	5.481	2.287
16	0.538	0.743	3.550	1.380	4.518	2.694	2.200	3.747	5.511	2.316
17	0.542	0.749	3.547	1.379	4.516	2.702	2.189	3.746	5.508	2.328
18	0.522	0.729	3.420	1.358	4.382	2.566	2.150	3.687	5.317	2.231
19	0.521	0.724	3.416	1.352	4.385	2.577	2.159	3.689	5.311	2.214
20	0.508	0.724	3.272	1.345	4.259	2.507	2.149	3.662	5.208	2.140
21	0.509	0.724	3.307	1.342	4.343	2.580	2.161	3.677	5.341	2.167
22	0.506	0.718	3.311	1.339	4.283	2.562	2.141	3.667	5.302	2.160
23	0.518	0.707	3.372	1.347	4.316	2.565	2.150	3.679	5.322	2.178
24	0.517	0.693	3.362	1.338	4.313	2.585	2.138	3.677	5.334	2.196
25	0.523	0.698	3.420	1.344	4.339	2.598	2.140	3.693	5.380	2.230
26	0.523	0.700	3.425	1.345	4.357	2.607	2.112	3.702	5.399	2.245
27	0.520	0.692	3.422	1.344	4.366	2.605	2.227	3.697	5.400	2.258
28	0.531	0.703	3.485	1.334	4.334	2.670	2.037	3.712	5.421	2.279
29	0.517	0.691	3.355	1.298	4.204	2.609	1.967	3.675	5.306	2.235
30	0.511	0.714	3.334	1.299	4.255	2.542	1.971	3.683	5.382	2.255
31										
1ヶ月値	0.538	0.815	3.628	1.627	4.447	2.658	2.065	3.736	5.441	2.290
最大値	0.672	1.606	4.265	3.970	4.792	2.941	2.782	4.384	5.811	2.533
最大値日時	09/08 10:50	09/07 19:40	09/06 11:50	09/07 23:30	09/06 17:30	09/06 21:20	09/14 19:20	09/14 17:00	09/06 20:40	09/06 01:00
最小値	0.454	0.639	3.120	1.219	3.805	2.120	1.466	3.522	5.066	2.033
最小値日時	09/30 05:40	09/24 04:30	09/20 21:50	09/29 11:10	09/30 10:00	09/28 09:30	09/26 06:20	09/22 17:20	09/20 21:50	09/20 22:50

# 測定月報

測定日: 2016/09

(5/10)

日	モニタ									
	B041. 集中RW西側法面上	B042 大型メンテナンス建屋 東側	B043 大熊通り中央付近	B044 1～4号機PPゲート前	B045 1 2uS/B周辺	B046 3.4uS/B周辺	B047 集中RW東側	B048 集中RW南側	B049 共用プール西側	B050 4uR/B西側
	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)	線量率 ( $\mu$ Sv/h)
1	4.079	3.435	4.335	23.581	35.237	78.454	8.970	8.420	47.108	18.756
2	4.094	3.410	4.339	23.627	35.151	78.934	8.973	8.486	47.355	18.833
3	4.103	3.422	4.354	23.773	35.088	79.355	8.968	8.536	47.558	18.875
4	4.097	3.409	4.314	23.687	35.012	79.111	8.929	8.460	47.190	18.792
5	4.169	3.470	4.378	23.929	35.195	79.205	9.031	8.533	47.519	18.878
6	4.232	3.510	4.407	24.169	35.361	79.165	9.371	8.572	47.782	18.894
7	4.103	3.417	4.290	23.646	34.742	78.211	8.985	8.315	46.326	18.548
8	4.031	3.395	4.242	23.406	34.373	76.284	8.896	8.156	45.084	18.310
9	4.015	3.385	4.261	23.536	34.534	76.016	8.943	8.211	45.428	18.175
10	3.904	3.322	4.297	23.556	34.921	77.674	8.975	8.383	46.572	17.810
11	3.793	3.242	4.266	23.446	34.896	77.723	8.948	8.371	46.270	17.538
12	3.626	3.120	4.119	22.746	33.922	74.889	8.839	7.902	43.314	17.052
13	3.490	3.058	4.067	22.278	33.238	72.836	8.634	7.651	40.605	16.591
14	3.583	3.117	4.144	22.785	33.666	74.866	8.678	8.134	44.599	16.837
15	3.621	3.171	4.204	23.091	33.854	75.917	8.895	8.270	45.331	16.838
16	3.610	3.153	4.223	23.143	33.994	75.874	8.996	8.323	45.358	16.763
17	3.602	3.156	4.218	23.164	34.048	75.488	8.953	8.272	44.893	16.683
18	3.451	3.059	4.097	22.489	33.124	72.937	8.660	7.807	42.008	16.239
19	3.461	3.044	4.091	22.455	33.063	72.542	8.654	7.949	42.967	16.236
20	3.304	2.946	4.030	22.011	32.128	69.247	8.423	7.552	39.690	15.823
21	3.344	2.933	4.072	22.362	32.843	71.347	8.614	8.018	43.194	16.083
22	3.351	2.949	4.051	22.270	32.668	69.663	8.547	7.831	42.291	16.000
23	3.432	3.000	4.087	22.581	32.793	66.127	8.593	8.060	43.405	16.115
24	3.458	2.991	4.078	22.582	32.764	64.969	8.779	7.994	43.059	16.093
25	3.475	3.016	4.100	22.813	33.043	66.006	8.806	8.133	43.912	16.177
26	3.518	3.020	4.116	22.825	33.095	69.605	8.804	8.148	44.132	16.223
27	3.527	3.024	4.107	22.920	33.118	73.092	8.871	8.164	44.129	16.262
28	3.579	3.089	4.142	22.991	33.446	72.817	8.891	8.190	44.287	16.314
29	3.456	2.993	4.060	22.628	32.851	71.641	8.677	7.892	42.419	16.050
30	3.423	2.953	4.088	22.827	33.122	73.513	8.748	8.177	44.140	16.179
31										
1ヶ月値	3.698	3.174	4.186	23.044	33.843	74.117	8.835	8.164	44.597	17.132
最大値	4.359	3.642	4.549	35.908	37.197	80.171	9.598	8.718	48.396	19.198
最大値日時	09/06 14:40	09/06 18:50	09/06 19:00	09/27 22:00	09/09 23:20	09/03 17:30	09/06 12:40	09/07 01:10	09/06 21:20	09/02 19:20
最小値	3.115	2.778	3.861	21.530	30.099	62.403	7.872	7.198	37.724	15.498
最小値日時	09/20 21:40	09/20 09:50	09/20 21:50	09/20 01:40	09/20 10:10	09/23 09:30	09/20 08:20	09/20 21:50	09/20 21:50	09/20 05:40

# 測定月報

測定日: 2016/09

(6/10)

日	モニタ									
	B051	B052	B053	B054	B055	B056	B057	B058	B059	B060
	3uR/B西側 線量率 ( $\mu\text{Sv/h}$ )	2uR/B西側 線量率 ( $\mu\text{Sv/h}$ )	1uR/B西側 線量率 ( $\mu\text{Sv/h}$ )	1uR/B北側 線量率 ( $\mu\text{Sv/h}$ )	物揚場周辺 線量率 ( $\mu\text{Sv/h}$ )	固体庫1, 2棟周辺 線量率 ( $\mu\text{Sv/h}$ )	旧事務本館北側 線量率 ( $\mu\text{Sv/h}$ )	固体庫第9棟建設地周辺 線量率 ( $\mu\text{Sv/h}$ )	危険物屋外貯蔵所周辺 線量率 ( $\mu\text{Sv/h}$ )	6号機D/G建屋周辺 線量率 ( $\mu\text{Sv/h}$ )
1	184.914	141.078	100.333	67.509	10.990	7.431	14.953	0.600	1.581	2.402
2	184.777	140.869	99.673	67.758	10.997	7.401	14.936	0.598	1.590	2.415
3	186.069	140.811	99.320	68.158	10.952	7.512	14.995	0.603	1.598	2.432
4	187.545	140.554	99.369	67.704	10.823	7.472	14.905	0.630	1.589	2.427
5	193.160	140.687	99.683	67.801	10.960	7.436	15.025	0.608	1.605	2.412
6	192.821	141.028	98.559	67.875	11.086	7.417	15.154	0.607	1.616	2.451
7	182.266	140.330	96.783	65.616	10.899	7.284	14.890	0.590	1.559	2.337
8	180.382	138.752	96.491	64.592	10.797	7.211	14.754	0.581	1.529	2.294
9	181.705	137.918	96.634	65.384	10.845	7.235	14.820	0.581	1.529	2.268
10	178.830	136.717	96.935	65.525	10.918	7.345	14.959	0.583	1.567	2.379
11	177.010	134.803	96.985	65.387	10.842	7.322	14.830	0.579	1.567	2.389
12	172.562	131.352	95.086	63.079	10.457	6.981	14.351	0.555	1.481	2.222
13	168.603	127.449	94.118	62.554	10.282	6.805	13.997	0.545	1.441	2.174
14	174.167	127.818	94.654	63.922	10.530	7.042	14.477	0.560	1.508	2.227
15	174.059	127.327	95.799	64.807	10.679	7.204	14.665	0.592	1.540	2.263
16	167.242	126.214	93.330	66.041	10.667	7.242	14.747	0.614	1.552	2.336
17	166.398	125.726	91.523	65.531	10.686	7.241	14.749	0.613	1.550	2.352
18	163.423	123.160	89.931	63.569	10.363	6.937	14.310	0.593	1.467	2.195
19	163.524	122.629	91.972	63.494	10.340	6.950	14.347	0.590	1.470	2.205
20	160.745	120.151	90.275	62.399	10.158	6.745	13.861	0.570	1.428	2.188
21	163.094	121.065	93.777	64.644	10.294	6.940	14.260	0.548	1.481	2.234
22	162.268	121.162	96.708	64.729	10.250	6.844	14.141	0.521	1.466	2.233
23	167.435	121.558	96.341	65.183	10.372	6.911	14.308	0.525	1.480	2.272
24	165.450	121.788	94.773	65.112	10.340	6.898	14.323	0.561	1.478	2.270
25	165.944	122.359	94.537	65.693	10.470	6.976	14.493	0.607	1.499	2.321
26	165.989	122.179	98.122	64.752	10.451	6.989	14.456	0.585	1.505	2.321
27	162.589	122.413	99.957	64.161	10.456	6.901	14.478	0.596	1.511	2.290
28	160.422	122.785	98.385	65.522	10.532	6.988	14.630	0.596	1.518	2.331
29	158.195	121.782	96.088	64.913	10.373	6.744	14.322	0.576	1.468	2.236
30	161.477	121.955	96.096	65.434	10.449	6.850	14.431	0.573	1.494	2.293
31										
1ヶ月値	172.435	129.481	96.075	65.295	10.609	7.109	14.586	0.583	1.522	2.306
最大値	199.077	143.137	105.004	69.087	11.344	7.692	15.558	0.677	1.689	2.566
最大値日時	09/06 05:20	09/06 22:30	09/15 13:00	09/06 11:40	09/06 16:10	09/03 17:20	09/05 09:00	09/03 22:20	09/05 00:20	09/06 03:20
最小値	132.814	114.568	74.888	61.530	9.934	6.016	13.344	0.478	1.355	1.733
最小値日時	09/22 10:00	09/30 11:10	09/20 08:20	09/20 22:00	09/20 06:50	09/27 15:10	09/20 22:00	09/22 19:40	09/20 21:10	09/21 15:20

# 測定月報

測定日: 2016/09

(7/10)

日	モニタ									
	B061	B062	B063	B064	B065	B066	B067	B068	B069	B070
	5・6号機放水口周辺 線量率 ( $\mu$ Sv/h)	焼却設備建屋周辺 線量率 ( $\mu$ Sv/h)	Fタンクエリア周辺 線量率 ( $\mu$ Sv/h)	五洋ヤード P1東側周辺 線量率 ( $\mu$ Sv/h)	焼却設備建屋前道路カーブミラー脇 線量率 ( $\mu$ Sv/h)	鹿島建設資材置場 線量率 ( $\mu$ Sv/h)	一時保管エリアC周辺 線量率 ( $\mu$ Sv/h)	一時保管エリアI周辺 線量率 ( $\mu$ Sv/h)	一時保管エリアH1周辺 線量率 ( $\mu$ Sv/h)	土捨場資材置場 線量率 ( $\mu$ Sv/h)
1	2.027	2.308	11.698	9.258	4.024	4.202	2.422	16.482	4.768	1.091
2	2.030	2.311	11.715	9.188	4.031	4.407	2.439	16.590	4.811	1.075
3	2.039	2.322	11.720	9.099	4.046	4.578	2.438	16.728	4.842	1.084
4	2.025	2.307	11.701	9.083	4.028	4.573	2.436	16.629	4.810	1.076
5	2.040	2.330	11.699	9.205	4.048	4.375	2.447	16.788	4.851	1.094
6	2.048	2.335	11.607	9.884	4.070	4.230	2.460	16.928	4.887	1.118
7	1.992	2.287	11.620	10.884	3.923	4.173	2.410	16.324	4.714	1.087
8	1.961	2.258	11.549	11.618	3.889	4.054	2.401	15.939	4.619	1.080
9	1.976	2.266	11.630	13.228	3.943	4.018	2.396	15.999	4.645	1.073
10	2.014	2.302	11.720	13.981	4.008	4.069	2.415	16.426	4.762	1.091
11	2.010	2.301	11.725	13.999	4.007	4.059	2.401	16.461	4.771	1.088
12	1.929	2.223	11.974	13.902	3.892	3.959	2.336	15.604	4.529	1.041
13	1.900	2.192	12.131	13.601	3.813	3.919	2.314	15.193	4.424	1.015
14	1.955	2.230	12.201	13.534	3.883	3.946	2.337	15.848	4.592	1.023
15	1.982	2.265	12.240	*1	3.924	3.969	2.389	16.143	4.675	1.035
16	1.992	2.267	12.241	13.925	3.940	3.976	2.389	16.252	4.714	1.041
17	1.993	2.271	12.239	13.998	3.932	3.975	2.389	16.189	4.688	1.052
18	1.916	2.207	12.141	13.853	3.825	3.880	2.332	15.412	4.445	1.013
19	1.929	2.201	12.135	13.842	3.831	3.873	2.336	15.498	4.450	1.006
20	1.899	2.171	12.088	13.349	3.772	3.819	2.321	15.068	4.361	0.991
21	1.939	2.185	12.122	13.047	3.805	3.884	2.336	15.674	4.505	0.999
22	1.916	2.163	12.034	12.883	3.738	3.869	2.323	15.472	4.442	0.993
23	1.936	2.166	12.018	12.900	3.753	3.909	2.346	15.606	4.465	1.000
24	1.926	2.176	12.032	12.909	3.742	3.908	2.319	15.630	4.461	0.994
25	1.948	2.188	12.034	12.939	3.762	3.929	2.335	15.834	4.507	1.000
26	1.954	2.194	12.046	12.962	3.829	3.945	2.359	15.897	4.512	1.012
27	1.946	2.187	12.056	13.006	3.838	3.950	2.345	15.892	4.480	1.007
28	1.953	2.205	12.054	12.979	3.692	3.996	2.364	15.935	4.508	1.015
29	1.917	2.160	11.988	12.991	3.714	3.911	*1	15.431	4.381	0.986
30	1.952	2.195	12.077	13.139	3.801	3.904	2.336	15.745	4.471	0.993
31										
1ヶ月値	1.968	2.239	11.937	12.354	3.887	4.042	2.377	15.987	4.605	1.039
最大値	2.122	2.443	12.427	14.215	4.221	7.047	3.449	17.325	5.042	1.181
最大値日時	09/06 19:40	09/05 17:30	09/15 16:10	09/16 18:30	09/05 14:40	09/05 07:10	09/02 10:10	09/06 15:50	09/06 21:20	09/05 09:10
最小値	1.819	1.882	6.782	6.799	3.549	3.698	2.206	14.568	4.147	0.925
最小値日時	09/28 13:50	09/23 13:20	09/06 07:30	09/02 08:20	09/29 06:50	09/20 21:30	09/22 20:10	09/20 21:50	09/20 21:40	09/22 17:30

\*1: 通信エラーに伴う欠測

# 測定月報

測定日: 2016/09

(8/10)

日	モニタ									
	B071	B072	B073	B074	B075	B076	B077	B078	B079	B080
	土捨場東側資材置場 線量率 ( $\mu\text{Sv/h}$ )	瓦礫保管Aテント周辺 線量率 ( $\mu\text{Sv/h}$ )	覆土式瓦礫保管エリアL北側 線量率 ( $\mu\text{Sv/h}$ )	覆土式瓦礫保管エリアL南側 線量率 ( $\mu\text{Sv/h}$ )	一時保管エリアG2周辺 線量率 ( $\mu\text{Sv/h}$ )	一時保管エリアG1周辺 線量率 ( $\mu\text{Sv/h}$ )	5・6号機迂回道付近 線量率 ( $\mu\text{Sv/h}$ )	一時保管エリアM周辺 線量率 ( $\mu\text{Sv/h}$ )	旧研修棟正面玄関前 線量率 ( $\mu\text{Sv/h}$ )	3・4号機北面ダストモニタ周辺 線量率 ( $\mu\text{Sv/h}$ )
1	2.164	35.053	6.218	1.492	0.636	1.680	6.767	3.491	71.460	20.895
2	2.168	35.402	6.300	1.490	0.634	1.682	6.838	3.518	71.560	20.861
3	2.178	35.708	6.370	1.498	0.637	1.691	6.923	3.552	71.547	20.907
4	2.173	35.634	6.354	1.495	0.639	1.691	6.864	3.517	71.242	20.836
5	2.183	35.823	6.390	1.510	0.647	1.703	6.921	3.560	71.591	21.088
6	2.196	36.222	6.419	1.521	0.656	1.718	6.974	3.589	71.788	21.331
7	2.151	35.426	6.269	1.490	0.642	1.664	6.732	3.434	70.888	20.746
8	2.137	35.279	6.207	1.483	0.641	1.643	6.587	3.346	70.434	20.499
9	2.143	35.387	6.204	1.490	0.640	1.646	6.609	3.335	70.582	20.415
10	2.162	36.167	6.341	1.505	0.639	1.674	6.786	3.419	71.411	19.722
11	2.154	36.127	6.340	1.489	0.636	1.673	6.804	3.436	71.178	19.104
12	2.096	34.882	6.103	1.439	0.616	1.609	6.442	3.229	69.603	18.362
13	2.069	34.551	5.945	1.433	0.603	1.535	6.305	3.154	67.722	17.646
14	2.114	35.579	6.092	1.461	0.615	1.611	6.521	3.274	69.969	17.850
15	2.134	36.028	6.172	1.483	0.623	1.638	6.636	3.335	70.577	17.849
16	2.135	36.216	6.243	1.488	0.624	1.648	6.684	3.362	70.854	17.639
17	2.136	36.339	6.289	1.502	0.632	1.647	6.684	3.355	70.692	17.453
18	2.093	35.141	6.048	1.455	0.614	1.593	6.382	3.193	69.277	16.846
19	2.091	35.285	6.057	1.458	0.615	1.594	6.409	3.197	69.471	16.713
20	2.063	34.595	5.790	1.426	0.605	1.515	6.254	3.113	67.187	16.028
21	2.091	35.459	5.966	1.433	0.603	1.577	6.445	3.217	69.447	16.140
22	2.075	34.979	5.994	1.435	0.600	1.571	6.377	3.173	69.072	16.222
23	2.091	35.218	6.029	1.443	0.605	1.566	6.419	3.200	69.660	16.585
24	2.086	35.045	5.996	1.428	0.601	1.545	6.425	3.187	69.465	16.549
25	2.098	35.266	6.070	1.443	0.605	1.561	6.486	3.228	69.997	16.687
26	2.091	35.396	6.147	1.446	0.609	1.576	6.502	3.243	69.926	16.752
27	2.088	35.571	6.196	1.451	0.612	1.584	6.498	3.244	69.874	16.813
28	2.096	35.474	6.212	1.459	0.618	1.598	6.513	3.254	69.632	17.014
29	2.057	34.666	6.059	1.434	0.610	1.565	6.321	3.158	69.134	16.477
30	2.072	35.244	6.190	1.436	0.605	1.584	6.425	3.216	69.908	16.330
31										
1ヶ月値	2.119	35.439	6.167	1.467	0.622	1.619	6.584	3.318	70.172	18.279
最大値	2.285	38.526	6.591	1.601	0.717	1.789	7.164	3.712	72.672	21.758
最大値日時	09/05 16:00	09/26 20:30	09/06 18:30	09/06 18:50	09/06 16:50	09/06 15:40	09/06 21:20	09/06 19:10	09/06 14:20	09/06 19:10
最小値	1.972	32.101	5.536	1.338	0.558	1.363	6.067	2.731	60.405	15.563
最小値日時	09/13 06:50	09/12 10:10	09/20 07:20	09/23 08:00	09/22 14:00	09/20 22:10	09/13 09:40	09/13 14:00	09/28 11:30	09/20 21:50



# 測定月報

測定日: 2016/09

(9/10)

日	モニタ									
	B081	B082	B083	B084	B085	B086	B087	B088	B089	B090
	Bタンクエリア周辺 線量率 ( $\mu\text{Sv/h}$ )	大型メンテナンス建屋周辺 線量率 ( $\mu\text{Sv/h}$ )	2, 3号機間道路西側(10m盤) 線量率 ( $\mu\text{Sv/h}$ )	2号機海側 (4m盤) 線量率 ( $\mu\text{Sv/h}$ )	中央交差点 線量率 ( $\mu\text{Sv/h}$ )	No.4倉庫周辺 線量率 ( $\mu\text{Sv/h}$ )	1, 2u排気筒西側 線量率 ( $\mu\text{Sv/h}$ )	線量表示器88 線量率 ( $\mu\text{Sv/h}$ )	線量表示器89 線量率 ( $\mu\text{Sv/h}$ )	線量表示器90 線量率 ( $\mu\text{Sv/h}$ )
1	1.182	1.978	155.435	34.614	1.214	15.289	1648.103			
2	1.183	1.974	156.259	34.593	1.219	15.368	1646.935			
3	1.185	1.987	157.457	34.679	1.227	15.461	1648.419			
4	1.177	1.976	156.924	34.556	1.219	15.329	1647.426			
5	1.191	2.009	154.891	34.699	1.233	15.464	1648.289			
6	1.199	2.042	157.423	35.054	1.247	15.564	1648.575			
7	1.178	1.993	153.383	34.256	1.207	15.143	1644.638			
8	1.149	1.987	151.222	33.877	1.191	14.888	1639.759			
9	1.140	1.981	150.379	33.581	1.191	14.959	1641.193			
10	1.162	1.969	150.784	33.819	1.211	15.281	1644.533			
11	1.157	1.938	148.801	33.457	1.213	15.235	1643.232			
12	1.119	1.875	143.965	31.947	1.160	14.627	1633.624			
13	1.040	1.833	139.305	31.096	1.135	14.230	1625.780			
14	1.132	1.882	139.902	31.766	1.167	14.801	1636.926			
15	1.146	1.905	139.729	32.204	1.184	15.060	1641.330			
16	1.146	1.907	138.258	32.270	1.187	15.129	1642.452			
17	1.144	1.914	137.439	32.454	1.192	15.092	1641.147			
18	1.096	1.858	134.323	31.277	1.151	14.475	1629.140			
19	1.108	1.851	134.027	31.277	1.149	14.531	1627.447			
20	1.025	1.804	132.044	30.271	1.127	14.096	1619.856			
21	1.090	1.817	133.106	30.765	1.154	14.672	1629.664			
22	1.087	1.814	132.102	30.664	1.144	14.493	1626.669			
23	1.104	1.838	134.451	30.965	1.149	14.614	1628.788			
24	1.103	1.832	134.878	31.004	1.148	14.594	1626.992			
25	1.109	1.851	135.584	31.345	1.162	14.762	1628.997			
26	1.104	1.855	135.659	31.504	1.164	14.771	1628.289			
27	1.107	1.854	135.903	31.726	1.162	14.781	1628.463			
28	1.116	1.881	135.683	32.034	1.169	14.805	1627.699			
29	1.085	1.835	134.418	30.582	1.145	14.438	1622.263			
30	1.092	1.825	135.493	30.905	1.160	14.725	1623.506			
31										
1ヶ月値	1.129	1.902	142.641	32.441	1.179	14.890	1635.671			
最大値	1.271	2.118	158.863	35.671	1.308	15.847	1654.643			
最大値日時	09/01 15:10	09/06 18:20	09/06 16:30	09/05 16:30	09/06 19:30	09/06 19:30	09/06 10:20			
最小値	0.886	1.724	104.085	26.586	1.074	13.485	1577.409			
最小値日時	09/20 05:50	09/20 22:40	09/05 10:50	09/29 08:20	09/22 20:10	09/20 06:50	09/28 10:40			