

測定月報

測定日: 2018/05

(1/11)

日	モニタ									
	B001	B002	B003	B004	B005	B006	B007	B008	B009	B010
	入退域管理棟周辺 線量率 (μ Sv/h)	正門警備所周辺 線量率 (μ Sv/h)	環境管理棟周辺 線量率 (μ Sv/h)	車両スクリーニング場周辺 線量率 (μ Sv/h)	厚生棟休憩所周辺 線量率 (μ Sv/h)	登録センター休憩所周辺 線量率 (μ Sv/h)	5/6号サービス建屋休憩所周辺 線量率 (μ Sv/h)	シールド中央制御室周辺 線量率 (μ Sv/h)	免震重要棟周辺 線量率 (μ Sv/h)	5/6号防護本部周辺 線量率 (μ Sv/h)
1	0.264	0.536	1.997	0.483	0.593	1.485	1.249	2.563	6.354	1.040
2	0.262	0.526	1.985	0.481	0.593	1.479	1.235	2.554	6.305	1.032
3	0.262	0.521	1.970	0.476	0.587	1.467	1.199	2.504	6.283	1.006
4	0.253	0.517	1.957	0.471	0.578	1.460	1.178	2.464	6.198	0.985
5	0.256	0.513	1.982	0.475	0.584	1.464	1.204	2.502	6.265	1.003
6	0.262	0.519	1.990	0.480	0.589	1.473	1.218	2.540	6.315	1.024
7	0.260	0.522	1.972	0.476	0.586	1.468	1.204	2.504	6.256	1.011
8	0.250	0.507	1.951	0.466	0.570	1.453	1.163	2.447	6.164	0.976
9	0.247	0.507	1.924	0.459	0.563	1.440	1.142	2.426	6.102	0.952
10	0.246	0.510	1.958	0.463	0.569	1.448	1.160	2.444	6.155	0.964
11	0.254	0.519	1.970	0.472	0.581	1.459	1.187	2.484	6.239	0.995
12	0.261	0.523	1.990	0.480	0.587	1.464	1.218	2.522	6.304	1.020
13	0.261	0.524	1.979	0.478	0.584	1.459	1.208	2.500	6.274	1.010
14	0.257	0.516	1.969	0.473	0.581	1.458	1.192	2.484	6.271	1.004
15	0.259	0.514	1.985	0.477	0.585	1.476	1.214	2.505	6.295	1.015
16	0.266	0.532	1.990	0.484	0.591	1.479	1.235	2.543	6.358	1.040
17	0.264	0.525	1.992	0.484	0.591	1.476	1.236	2.553	6.377	1.044
18	0.258	0.521	1.980	0.474	0.582	1.481	1.216	2.505	6.270	1.013
19	0.259	0.531	1.970	0.471	0.580	1.474	1.198	2.488	6.274	1.001
20	0.254	0.518	1.971	0.471	0.578	1.470	1.195	2.495	6.254	0.997
21	0.260	0.516	1.980	0.474	0.583	1.475	1.216	2.523	6.283	1.018
22	0.259	0.525	1.983	0.477	0.587	1.475	1.232	2.529	6.285	1.027
23	0.258	0.523	1.976	0.475	0.584	1.478	1.222	2.524	6.281	1.024
24	0.256	0.511	1.962	0.470	0.579	1.468	1.187	2.486	6.243	1.001
25	0.262	0.521	1.977	0.478	0.584	1.469	1.217	2.535	6.316	1.031
26	0.260	0.522	1.984	0.475	0.582	1.477	1.220	2.531	6.277	1.018
27	0.260	0.513	1.974	0.476	0.581	1.474	1.223	2.522	6.268	1.021
28	0.261	0.523	1.974	0.477	0.581	1.488	1.227	2.528	6.289	1.031
29	0.263	0.526	1.984	0.480	0.587	1.485	1.235	2.542	6.307	1.034
30	0.261	0.515	1.974	0.479	0.586	1.472	1.230	2.540	6.295	1.027
31	0.258	0.517	1.947	0.470	0.571	1.466	1.179	2.473	6.221	0.994
1ヶ月値	0.258	0.520	1.974	0.475	0.582	1.470	1.208	2.508	6.270	1.011
最大値	0.331	0.646	2.091	0.528	0.648	1.563	1.321	2.674	6.539	1.119
最大値日時	05/28 09:20	05/22 14:30	05/12 14:40	05/06 07:20	05/16 14:00	05/16 19:40	05/17 21:30	05/01 12:20	05/01 10:10	05/17 14:40
最小値	0.200	0.456	1.815	0.423	0.521	1.373	1.085	2.256	5.968	0.883
最小値日時	05/09 10:20	05/24 01:20	05/09 07:40	05/09 17:40	05/08 14:30	05/09 14:50	05/09 08:30	05/18 10:50	05/09 08:20	05/09 07:40

測定月報

測定日: 2018/05

(2/11)

日	モニタ									
	B011	B012	B013	B014	B015	B016	B017	B018	B019	B020
	1号北側法面上周辺 線量率 (μ Sv/h)	1/2号西側法面上周辺 線量率 (μ Sv/h)	3/4号西側法面上周辺 線量率 (μ Sv/h)	4号南側法面上周辺 線量率 (μ Sv/h)	一般焼却炉周辺 線量率 (μ Sv/h)	車両整備場周辺 線量率 (μ Sv/h)	多核種除去施設周辺 線量率 (μ Sv/h)	キャスク仮保管施設周辺 線量率 (μ Sv/h)	野鳥の森五差路周辺 線量率 (μ Sv/h)	5/6号機西側周辺 線量率 (μ Sv/h)
1	50.168	44.538	10.566	1.541	19.439	0.820	0.754	0.312	2.675	6.163
2	49.806	44.155	10.456	1.522	19.337	0.819	0.752	0.307	2.627	6.138
3	48.904	43.891	10.423	1.503	18.737	0.798	0.744	0.307	2.645	5.888
4	47.944	43.009	10.104	1.458	18.597	0.786	0.733	0.298	2.497	5.816
5	48.763	43.663	10.301	1.489	18.928	0.795	0.739	0.302	2.575	5.933
6	49.440	44.220	10.506	1.523	19.138	0.804	0.748	0.308	2.662	6.019
7	49.001	43.679	10.344	1.500	18.854	0.802	0.743	0.306	2.586	5.953
8	47.470	42.619	9.978	1.443	18.506	0.777	0.726	0.292	2.423	5.808
9	46.862	42.010	9.782	1.389	18.147	0.791	0.662	0.291	2.368	5.691
10	47.442	42.520	9.934	1.437	18.519	0.785	0.627	0.288	2.414	5.792
11	48.650	43.535	10.247	1.488	18.796	0.774	0.624	0.308	2.541	5.901
12	49.607	44.171	10.472	1.520	19.074	0.778	0.640	0.306	2.651	5.999
13	49.326	43.851	10.415	1.509	18.959	0.774	0.638	0.306	2.621	5.956
14	49.190	43.905	10.461	1.365	18.662	0.770	0.631	0.307	2.632	5.874
15	49.579	43.883	10.469	1.147	18.925	0.856	0.647	0.306	2.620	5.971
16	50.087	44.473	10.730	1.136	19.045	0.935	0.660	0.317	2.748	6.039
17	50.296	44.653	10.816	1.242	19.082	0.956	0.663	0.317	2.765	6.061
18	49.002	43.476	10.388	1.442	19.000	0.936	0.624	0.305	2.581	6.007
19	48.643	43.288	10.335	1.479	18.935	0.883	0.617	0.304	2.574	5.932
20	48.535	43.053	10.213	1.463	19.003	0.881	0.611	0.298	2.510	5.960
21	48.975	43.532	10.370	1.468	19.086	0.889	0.623	0.305	2.592	6.034
22	49.417	43.770	10.480	1.427	19.187	0.899	0.641	0.307	2.604	6.077
23	49.655	43.839	10.546	1.426	19.063	0.896	0.628	0.320	2.653	6.075
24	49.044	43.521	10.440	1.473	18.673	0.886	0.630	0.304	2.624	5.861
25	50.051	44.335	10.716	1.518	19.004	0.817	0.653	0.313	2.730	5.981
26	49.689	43.845	10.517	1.418	19.088	0.772	0.650	0.305	2.634	6.005
27	49.692	43.767	10.476	1.418	19.153	0.773	0.648	0.306	2.614	6.033
28	49.635	43.911	10.555	1.433	19.202	0.775	0.647	0.307	2.646	6.049
29	49.839	44.154	10.625	1.464	19.179	0.783	0.642	0.309	2.682	6.084
30	49.611	44.043	10.601	1.403	19.148	0.786	0.635	0.312	2.684	6.071
31	48.570	43.458	10.392	1.361	18.482	0.762	0.620	0.315	2.606	5.815
1ヶ月値	49.122	43.701	10.408	1.432	18.934	0.824	0.665	0.306	2.606	5.967
最大値	51.362	45.736	11.177	1.799	19.759	1.407	0.816	0.521	2.925	6.326
最大値日時	05/17 16:40	05/17 16:20	05/17 16:30	05/29 12:20	05/01 17:50	05/16 13:40	05/06 23:20	05/23 09:40	05/16 16:30	05/01 11:10
最小値	46.061	41.464	9.535	1.053	17.341	0.582	0.557	0.249	2.267	5.506
最小値日時	05/09 08:20	05/09 08:20	05/21 12:00	05/16 04:40	05/09 07:10	05/10 12:50	05/23 23:20	05/11 01:10	05/09 08:50	05/09 10:00

測定月報

測定日: 2018/05

(3/11)

日	モニタ									
	B021	B022	B023	B024	B025	B026	B027	B028	B029	B030
	西門周辺	さくら通り正門側	増設多核種除去設備西側周辺	Hタンクエリア周辺(連続ダストモニタ小屋跡)	1・2号機海側(4m盤)	3・4号機海側(4m盤)	固体廃棄物貯蔵庫管理棟周辺	高性能多核種除去設備周辺	サブドレン浄化設備周辺	給油所周辺
	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)
1	1.507	0.949	0.344	5.913	※1	※1	9.874	1.232	0.271	0.446
2	1.505	0.944	0.338	5.880			9.814	1.221	0.269	0.444
3	1.480	0.914	0.347	5.752			9.555	1.216	0.270	0.432
4	1.460	0.909	0.333	5.704			9.406	1.200	0.268	0.426
5	1.475	0.920	0.338	5.776			9.593	1.212	0.265	0.429
6	1.493	0.935	0.346	5.837			9.723	1.227	0.268	0.437
7	1.487	0.934	0.340	5.788			9.602	1.213	0.266	0.435
8	1.454	0.915	0.326	5.686			9.368	1.192	0.261	0.415
9	1.440	0.909	0.322	5.605			9.196	1.175	0.260	0.412
10	1.448	0.892	0.322	5.669			9.318	1.188	0.260	0.419
11	1.471	0.892	0.331	5.756			9.500	1.206	0.267	0.426
12	1.488	0.897	0.341	5.818			9.646	1.224	0.269	0.436
13	1.484	0.896	0.341	5.780			9.601	1.219	0.282	0.434
14	1.477	0.886	0.343	5.742			9.481	1.217	0.283	0.428
15	1.484	0.896	0.340	5.798			9.578	1.220	0.280	0.435
16	1.490	0.896	0.357	5.860			9.711	1.243	0.283	0.440
17	1.494	0.901	0.358	5.857			9.714	1.241	0.281	0.447
18	1.486	0.893	0.338	5.815			9.579	1.216	0.269	0.437
19	1.498	0.889	0.338	5.768			9.485	1.214	0.270	0.433
20	1.515	0.888	0.330	5.776			9.498	1.210	0.270	0.434
21	1.504	0.897	0.339	5.827			9.600	1.220	0.273	0.436
22	1.500	0.899	0.341	5.859			9.670	1.223	0.273	0.433
23	1.488	0.897	0.343	5.848			9.641	1.225	0.276	0.443
24	1.461	0.869	0.345	5.727			9.409	1.217	0.272	0.428
25	1.485	0.880	0.349	5.817			9.585	1.230	0.271	0.433
26	1.490	0.881	0.338	5.820			9.567	1.226	0.267	0.433
27	1.488	0.881	0.338	5.836			9.587	1.219	0.272	0.433
28	1.498	0.891	0.346	5.850			9.625	1.226	0.271	0.433
29	1.507	0.930	0.348	5.875			9.668	1.232	0.274	0.435
30	1.496	0.967	0.345	5.865			9.642	1.230	0.281	0.426
31	1.455	0.901	0.337	5.717			9.340	1.209	0.273	0.413
1ヶ月値	1.484	0.905	0.340	5.794			9.567	1.218	0.272	0.432
最大値	1.593	1.022	0.436	6.057			10.106	1.309	0.415	0.498
最大値日時	05/30 02:40	05/30 12:50	05/24 11:20	05/01 13:10			05/01 08:50	05/30 18:50	05/23 12:30	05/16 19:20
最小値	1.356	0.763	0.291	5.414			8.856	1.098	0.193	0.376
最小値日時	05/09 07:50	05/24 16:10	05/08 08:30	05/09 09:00			05/09 09:50	05/09 11:20	05/08 09:30	05/08 07:50

*1:線量標示器の故障に伴う欠測

測定月報

測定日: 2018/05

(4/11)

日	モニタ									
	B031	B032	B033	B034	B035	B036	B037	B038	B039	B040
	HIC保管エリア周辺	H8タンクエリア周辺	H4タンクエリア周辺	H5タンクエリア周辺	1～4号機PPゲート前	12uS/B周辺	セシウム吸着塔中間貯蔵施設周辺	2uR/B西側	1uR/B西側	1uR/B北側
	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)
1	0.451	0.544	2.361	0.824	*	*	*	*	*	*
2	0.444	0.528	2.326	0.819						
3	0.446	0.510	2.320	0.817						
4	0.432	0.497	2.231	0.798						
5	0.438	0.499	2.289	0.808						
6	0.447	0.504	2.355	0.817						
7	0.452	0.498	2.273	0.808						
8	0.430	0.482	2.182	0.798						
9	0.422	0.475	2.134	0.793						
10	0.427	0.479	2.172	0.800						
11	0.438	0.491	2.251	0.817						
12	0.451	0.501	2.341	0.826						
13	0.450	0.501	2.314	0.814						
14	0.449	0.493	2.292	0.811	*9	*9				
15	0.450	0.505	2.298	0.815	19.917	28.624	0.950	43.325		
16	0.463	0.544	2.379	0.835	20.026	28.998	0.967	43.862		
17	0.466	0.574	2.397	0.840	20.091	29.302	0.976	44.170		
18	0.446	0.574	2.276	0.815	19.642	28.872	0.939	43.180	48.053	54.132
19	0.444	0.542	2.293	0.813	19.496	28.819	0.939	42.978	48.347	53.698
20	0.436	0.521	2.258	0.817	19.372	28.529	0.929	42.868	48.398	53.777
21	0.447	0.522	2.287	0.829	19.727	28.926	0.946	43.303	49.029	54.624
22	0.448	0.519	2.294	0.832	20.014	29.409	0.956	43.602	49.529	55.152
23	0.449	0.515	2.343	0.833	20.107	29.531	0.955	43.672	49.763	55.016
24	0.446	0.496	2.279	0.825	19.628	29.065	0.939	43.418	49.221	53.731
25	0.461	0.528	2.369	0.840	19.953	29.616	0.966	44.223	50.267	55.105
26	0.451	0.536	2.331	0.831	19.764	29.648	0.953	43.783	50.019	55.135
27	0.447	0.520	2.318	0.830	19.746	29.747	0.954	43.733	50.065	55.268
28	0.453	0.516	2.323	0.832	20.096	29.910	0.958	43.915	50.049	55.496
29	0.458	0.516	2.347	0.839	20.297	30.126	0.958	44.178	50.291	55.872
30	0.457	0.511	2.339	0.840	20.234	29.987	0.959	44.062	50.075	55.574
31	0.446	0.492	2.277	0.816	19.779	29.430	0.929	43.412	49.054	53.505
1ヶ月値	0.446	0.514	2.298	0.820	19.874	29.344	0.951	43.637	49.480	54.738
最大値	0.511	0.623	2.756	0.908	20.999	30.610	1.154	45.134	51.064	56.800
最大値日時	05/07 13:20	05/18 08:20	05/23 11:00	05/25 14:40	05/30 18:20	05/29 14:50	05/28 17:30	05/17 16:40	05/25 12:50	05/29 12:10
最小値	0.383	0.435	1.958	0.744	15.021	21.470	0.860	41.255	31.638	50.595
最小値日時	05/04 08:50	05/09 12:10	05/09 08:00	05/15 21:00	05/15 11:00	05/15 11:10	05/31 07:50	05/15 10:40	05/18 10:00	05/22 22:30

*9:その他 線量監視に伴う測定場所の変更

*1:線量表示器の点検・校正に伴う欠測

測定月報

測定日：2018/05

(5/11)

日	モニタ									
	B041	B042	B043	B044	B045	B046	B047	B048	B049	B050
	集中RW西側法面上	大型メンテナンス建屋 東側	大熊通り中央付近	1～4号機PPゲート前	12uS/B周辺	3.4uS/B周辺	集中RW東側	集中RW南側(PSFモニタ近傍)	共用プール西側	4uR/B西側
	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)
1	*1	*1	3.401	20.441	29.777	79.675	8.836	5.890	34.153	8.633
2			3.374	20.276	29.638	79.307	7.104	5.853	33.896	8.517
3			3.297	19.954	29.038	76.387	7.944	5.717	32.391	8.394
4			3.238	19.473	28.522	75.672	8.967	5.642	31.857	8.274
5			3.290	19.828	28.988	77.369	7.027	5.748	33.096	8.377
6			3.347	20.177	29.337	78.427	7.989	5.807	33.550	8.500
7			3.314	19.828	29.070	77.420	7.880	5.725	32.985	8.418
8			3.217	19.255	28.215	75.223	8.458	5.583	31.902	8.208
9			3.172	19.113	27.801	73.713	7.934	5.365	30.348	8.044
10			3.207	19.412	28.374	75.058	7.540	5.543	32.122	8.181
11			3.281	19.589	28.975	76.612	7.302	5.672	32.892	8.377
12			3.345	19.790	29.463	78.036	7.733	5.780	33.403	8.504
13			3.326	19.586	29.254	77.701	7.920	5.753	33.082	8.446
14			3.306	19.598	29.210	76.028	8.752	5.715	32.574	8.450
15			3.313	19.548	29.001	76.928	7.014	5.749	33.154	8.485
16			*1	*1	*1	*1	7.806	5.775	33.532	8.594
17							9.491	5.821	33.623	8.651
18	3.472	3.605					7.337	5.854	33.242	8.448
19	3.527	3.616					8.375	5.900	32.734	8.428
20	3.489	3.581					7.655	5.888	32.828	8.374
21	3.557	3.628					8.775	5.904	33.276	8.475
22	3.583	3.629					9.034	5.873	33.370	8.508
23	3.582	3.649					8.857	5.865	32.907	8.431
24	3.579	3.589					9.066	5.748	31.657	8.386
25	3.652	3.707					9.011	5.884	32.565	8.570
26	3.587	3.689					7.652	5.896	32.369	8.499
27	3.582	3.679					7.576	5.888	32.272	8.491
28	3.608	3.699					7.509	5.900	32.375	8.532
29	3.652	3.727					7.920	5.911	32.443	8.565
30	3.658	3.751					7.196	5.890	32.315	8.486
31	3.601	3.718					7.618	5.721	30.829	8.300
1ヶ月値	3.584	3.664	3.295	19.731	28.977	76.903	8.034	5.782	32.706	8.437
最大値	3.862	3.897	3.513	21.003	30.368	80.882	14.609	6.086	34.780	8.904
最大値日時	05/25 18:30	05/25 14:50	05/01 10:00	05/01 11:50	05/01 09:20	05/01 12:00	05/01 18:40	05/25 13:10	05/01 15:40	05/01 12:20
最小値	3.019	2.652	3.048	16.704	27.088	71.123	6.289	4.990	28.364	7.788
最小値日時	05/18 10:30	05/18 10:20	05/09 08:50	05/07 13:40	05/09 11:20	05/09 08:30	05/18 11:00	05/09 08:40	05/09 09:30	05/09 08:10

*1:線量表示器の点検・校正に伴う欠測

測定月報

測定日：2018/05

(6/11)

日	モニタ									
	B051 3uR／B西側	B052 2uR／B西側	B053 1uR／B西側	B054 1uR／B北側	B055 物揚場周辺	B056 固体庫1, 2棟周辺	B057 旧事務本館北側	B058 固体庫第9棟建設地周辺	B059 危険物屋外貯蔵所周辺	B060 6号機D/G建屋周辺
	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)
1	117.457	84.352	69.656	57.941	5.938	5.087	12.671	2.474	1.254	2.222
2	116.912	83.888	69.269	57.503	5.845	5.042	12.546	2.464	1.246	2.206
3	115.399	83.164	68.603	55.689	5.774	4.913	12.390	2.362	1.194	2.047
4	114.381	81.988	67.569	54.969	5.587	4.771	12.088	2.327	1.168	2.017
5	115.706	82.943	68.417	56.185	5.736	4.886	12.365	2.382	1.192	2.142
6	116.589	83.773	69.083	57.153	5.866	4.972	12.582	2.420	1.223	2.183
7	115.922	83.285	68.529	56.455	5.741	4.907	12.320	2.392	1.209	2.134
8	112.694	81.483	67.139	54.624	5.483	4.714	11.960	2.317	1.158	2.007
9	111.203	80.591	66.114	53.820	5.393	4.621	11.654	2.262	1.127	1.920
10	112.872	81.698	65.775	54.444	5.492	4.692	11.803	2.308	1.154	2.039
11	114.793	83.470	66.588	55.791	5.678	4.833	12.197	2.369	1.186	2.118
12	116.077	84.531	67.564	56.968	5.739	4.958	12.459	2.407	1.216	2.170
13	115.654	84.059	67.285	56.503	5.669	4.916	12.349	2.391	1.210	2.143
14	115.293	84.081	67.240	55.857	5.645	4.892	12.240	2.357	1.190	2.039
15	115.946	84.427	67.391	56.764	5.729	4.940	12.194	2.397	1.215	2.151
16	116.601	85.073	68.214	57.571	5.921	5.042	12.560	2.428	1.241	2.179
17	116.492	85.354	67.951	57.628	6.004	5.079	12.767	2.437	1.248	2.197
18	114.804	84.031	66.374	56.725	5.756	4.901	12.420	2.414	1.231	2.174
19	114.335	83.801	66.298	56.071	5.723	4.871	12.360	2.389	1.218	2.132
20	114.222	83.604	66.286	55.979	5.675	4.854	12.278	2.386	1.220	2.151
21	114.858	84.051	66.637	56.684	5.781	4.948	12.491	2.418	1.238	2.177
22	115.285	84.222	66.980	57.142	5.832	4.970	12.659	2.440	1.243	2.199
23	115.215	84.438	67.089	56.948	5.856	5.002	12.683	2.434	1.245	2.183
24	113.974	83.611	67.125	55.691	5.767	4.870	12.594	2.353	1.185	2.000
25	115.511	84.804	68.451	56.988	5.851	4.990	12.894	2.399	1.220	2.155
26	115.313	84.600	68.083	56.910	5.719	4.956	12.787	2.415	1.230	2.179
27	115.286	84.511	68.045	56.975	5.720	4.953	12.770	2.418	1.235	2.192
28	116.850	84.547	68.655	57.162	5.770	4.995	12.821	2.432	1.245	2.202
29	117.460	84.991	71.338	57.453	5.865	5.028	12.921	2.440	1.252	2.219
30	117.314	84.682	70.796	57.171	5.851	5.011	12.857	2.442	1.248	2.213
31	115.036	83.635	68.565	55.214	5.672	4.823	12.504	2.335	1.183	2.006
1ヶ月値	115.337	83.795	67.854	56.416	5.744	4.917	12.457	2.394	1.214	2.132
最大値	118.928	86.879	73.881	58.703	6.268	5.267	13.275	2.599	1.333	2.317
最大値日時	05/29 12:50	05/17 17:30	05/25 13:20	05/01 14:50	05/17 15:10	05/16 18:30	05/25 19:40	05/01 15:50	05/18 04:10	05/01 10:10
最小値	106.401	77.871	55.858	52.554	5.212	4.473	10.825	2.147	1.060	1.778
最小値日時	05/09 09:00	05/25 11:30	05/04 16:30	05/09 08:30	05/09 06:20	05/09 07:00	05/14 11:50	05/09 07:10	05/09 08:00	05/09 09:40

測定月報

測定日：2018/05

(7/11)

日	モニタ									
	B061	B062	B063	B064	B065	B066	B067	B068	B069	B070
	5・6号機放水口周辺	焼却設備建屋周辺	Fタンクエリア周辺	ヤード P1東側周辺	焼却設備建屋前道路カーブミラー脇	資材置場	一時保管エリアC周辺	ALPS連ダ周辺	一時保管エリアH1周辺	土捨場資材置場
	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)
1	1.369	1.856	31.344	12.083	2.715	3.070	1.506	0.378	3.751	0.634
2	1.364	1.845	31.295	12.068	2.699	3.058	1.504	0.376	3.738	0.631
3	1.309	1.810	31.216	11.919	2.632	2.991	1.442	0.375	3.548	0.610
4	1.297	1.789	31.098	11.854	2.601	2.955	1.411	0.365	3.498	0.596
5	1.314	1.812	31.147	11.921	2.639	2.991	1.432	0.368	3.568	0.608
6	1.339	1.833	31.244	11.985	2.668	3.025	1.469	0.379	3.641	0.621
7	1.326	1.817	31.186	11.932	2.641	2.971	1.494	0.372	3.595	0.615
8	1.294	1.768	31.007	11.807	2.587	2.845	1.450	0.360	3.476	0.592
9	1.281	1.747	30.932	11.746	2.550	2.789	1.423	0.351	3.401	0.582
10	1.299	1.769	31.014	11.803	2.578	2.843	1.427	0.355	3.466	0.591
11	1.320	1.803	31.148	11.891	2.621	2.897	1.449	0.367	3.539	0.604
12	1.338	1.823	31.223	11.958	2.663	2.925	1.468	0.376	3.613	0.618
13	1.330	1.813	31.143	11.905	2.644	2.910	1.446	0.376	3.601	0.615
14	1.312	1.801	31.149	11.870	2.619	2.888	1.425	0.376	3.516	0.607
15	1.331	1.824	31.219	11.937	2.647	2.909	1.445	0.376	3.597	0.622
16	1.353	1.839	31.272	11.956	2.677	2.927	1.475	0.386	3.654	0.625
17	1.357	1.841	31.257	11.975	2.683	2.937	1.482	0.389	3.663	0.628
18	1.346	1.818	31.129	11.927	2.658	2.910	1.462	0.373	3.650	0.615
19	1.333	1.809	31.114	11.890	2.637	2.896	1.449	0.374	3.605	0.610
20	1.330	1.811	31.142	11.922	2.639	2.902	1.448	0.368	3.624	0.609
21	1.353	1.825	31.168	11.949	2.658	2.925	1.471	0.375	3.675	0.615
22	1.353	1.835	31.197	11.999	2.674	2.948	1.489	0.376	3.707	0.617
23	1.353	1.831	31.172	11.957	2.666	2.939	1.489	0.377	3.690	0.615
24	1.312	1.799	31.147	11.859	2.610	2.878	1.429	0.369	3.512	0.592
25	1.337	1.824	31.182	11.934	2.653	2.933	1.467	0.379	3.594	0.610
26	1.339	1.828	31.163	11.942	2.658	2.944	1.466	0.375	3.633	0.608
27	1.344	1.827	31.164	11.961	2.663	2.944	1.475	0.373	3.658	0.609
28	1.352	1.829	31.158	11.966	2.674	2.934	1.485	0.376	3.671	0.616
29	1.360	1.839	31.208	12.007	2.681	2.931	1.501	0.381	3.710	0.618
30	1.354	1.836	31.154	11.964	2.672	2.925	1.507	0.381	3.691	0.618
31	1.291	1.790	31.055	11.834	2.596	2.852	1.438	0.370	3.497	0.591
1ヶ月値	1.332	1.816	31.163	11.926	2.645	2.929	1.462	0.373	3.605	0.611
最大値	1.432	1.945	31.681	12.323	2.832	3.171	1.599	0.420	3.843	0.683
最大値日時	05/01 11:10	05/01 15:50	05/20 11:50	05/02 12:20	05/01 09:20	05/01 13:50	05/16 08:30	05/21 19:50	05/23 09:30	05/02 15:40
最小値	1.202	1.674	30.628	11.569	2.447	2.680	1.340	0.317	3.262	0.536
最小値日時	05/14 06:10	05/09 10:20	05/10 05:50	05/05 03:00	05/09 08:20	05/09 09:20	05/05 04:10	05/09 10:10	05/09 10:40	05/09 08:00

測定月報

測定日: 2018/05

(8/11)

日	モニタ									
	B071	B072	B073	B074	B075	B076	B077	B078	B079	B080
	土捨場東側資材置場 線量率 ($\mu\text{Sv/h}$)	瓦礫保管Aテント周辺 線量率 ($\mu\text{Sv/h}$)	覆土式瓦礫保管エリアL北側 線量率 ($\mu\text{Sv/h}$)	覆土式瓦礫保管エリアL南側 線量率 ($\mu\text{Sv/h}$)	一時保管エリアG2周辺 線量率 ($\mu\text{Sv/h}$)	一時保管エリアG1周辺 線量率 ($\mu\text{Sv/h}$)	5・6号機迂回道付近 線量率 ($\mu\text{Sv/h}$)	一時保管エリアM周辺 線量率 ($\mu\text{Sv/h}$)	旧研修棟正面玄関前 線量率 ($\mu\text{Sv/h}$)	3・4号機法面ダストモニタ周辺 線量率 ($\mu\text{Sv/h}$)
1	1.920	25.910	4.415	0.582	0.414	1.113	3.383	1.639	50.615	11.193
2	1.917	25.794	4.396	0.578	0.413	1.113	3.373	1.643	50.294	11.039
3	1.876	24.997	4.244	0.573	0.406	1.060	3.212	1.558	49.580	11.027
4	1.854	24.818	4.162	0.558	0.398	1.045	3.156	1.522	49.019	10.609
5	1.876	25.224	4.261	0.565	0.402	1.065	3.219	1.553	49.777	10.848
6	1.894	25.504	4.329	0.575	0.410	1.082	3.276	1.587	50.216	11.108
7	1.881	25.304	4.295	0.571	0.411	1.071	3.235	1.576	49.669	10.917
8	1.842	24.853	4.156	0.544	0.394	1.046	3.128	1.506	48.847	10.434
9	1.829	24.552	4.034	0.533	0.392	1.020	3.069	1.466	47.062	10.201
10	1.844	24.728	4.117	0.537	0.394	1.041	3.121	1.497	46.266	10.378
11	1.866	25.014	4.241	0.551	0.405	1.066	3.187	1.537	47.075	10.799
12	1.892	25.303	4.312	0.563	0.413	1.090	3.258	1.568	47.544	11.087
13	1.887	25.166	4.300	0.562	0.413	1.083	3.235	1.563	47.232	10.986
14	1.864	24.890	4.255	0.559	0.409	1.067	3.176	1.530	46.877	11.074
15	1.883	25.231	4.317	0.565	0.411	1.082	3.219	1.558	47.336	11.068
16	1.908	25.410	4.365	0.577	0.420	1.110	3.279	1.594	47.581	11.400
17	1.907	25.353	4.367	0.579	0.420	1.111	3.298	1.598	48.190	11.487
18	1.886	25.172	4.329	0.560	0.406	1.079	3.269	1.585	47.399	10.937
19	1.879	25.290	4.289	0.555	0.404	1.065	3.237	1.569	47.266	10.895
20	1.885	25.411	4.312	0.554	0.402	1.069	3.247	1.571	47.209	10.714
21	1.893	25.476	4.346	0.562	0.407	1.082	3.284	1.596	47.682	10.942
22	1.899	25.418	4.376	0.574	0.411	1.092	3.314	1.611	47.871	11.064
23	1.898	25.129	4.345	0.575	0.409	1.093	3.315	1.612	47.757	11.142
24	1.868	24.670	4.162	0.558	0.402	1.048	3.172	1.533	47.161	11.046
25	1.889	24.955	4.287	0.573	0.425	1.085	3.250	1.568	48.014	11.362
26	1.895	25.198	4.294	0.568	0.435	1.099	3.282	1.576	47.795	11.091
27	1.896	25.279	4.303	0.569	0.435	1.107	3.299	1.595	47.764	11.041
28	1.885	25.231	4.352	0.575	0.452	1.127	3.313	1.604	47.869	11.154
29	1.876	25.300	4.431	0.588	0.485	1.161	3.332	1.615	48.094	11.219
30	1.874	25.259	4.525	0.594	0.523	1.192	3.332	1.616	47.914	11.190
31	1.828	24.456	4.397	0.584	0.550	1.166	3.170	1.526	46.912	10.961
1ヶ月値	1.880	25.171	4.300	0.566	0.422	1.088	3.246	1.570	48.061	10.981
最大値	2.002	26.190	4.701	0.637	0.606	1.254	3.493	1.716	51.149	12.088
最大値日時	05/02 10:50	05/01 08:20	05/30 15:40	05/29 10:10	05/31 10:30	05/30 14:50	05/01 12:20	05/02 20:50	05/01 09:30	05/17 16:00
最小値	1.697	22.331	3.863	0.493	0.350	0.915	2.925	1.408	37.797	9.991
最小値日時	05/14 07:50	05/28 11:00	05/09 09:10	05/10 01:20	05/09 15:00	05/09 05:00	05/08 10:00	05/09 04:30	05/18 11:20	05/09 09:30

測定月報

測定日: 2018/05

(9/11)

日	モニタ									
	B081 事務本館南	B082 大型メンテナンス建屋周辺	B083 2, 3号機間道路西側(10m壁)	B084 3, 4号機海側 (4m壁)	B085 中央交差点	B086 No.4倉庫周辺	B087 1, 2u排気筒西側	B088 1・2号機海側(4m壁)	B089 線量表示器89	B090 線量表示器90
	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)	線量率 (μ Sv/h)
1	11.763	1.244	85.205	17.003	0.995	12.748	1335.879			
2	11.604	1.235	84.688	16.856	0.989	12.671	1332.198			
3	11.633	1.232	84.002	16.599	0.954	12.178	1327.366			
4	11.163	1.194	82.724	16.100	0.942	12.017	1319.120			
5	11.406	1.216	83.742	16.503	0.954	12.297	1325.734			
6	11.685	1.242	84.647	16.794	0.973	12.476	1330.563			
7	11.487	1.223	84.996	16.571	0.959	12.323	1325.298			
8	10.991	1.180	83.603	15.862	0.934	11.987	1314.765			
9	10.782	1.159	82.627	15.413	0.915	11.709	1309.233			
10	10.899	1.179	83.353	15.892	0.927	11.942	1314.554			
11	11.317	1.214	85.029	16.050	0.950	12.201	1323.897			
12	11.626	1.245	86.119	16.929	0.968	12.430	1330.213			
13	11.509	1.238	85.529	16.826	0.966	12.319	1325.365			
14	11.587	1.236	85.586	16.690	0.949	12.133	1326.100			
15	11.607	1.240	85.957	16.740	0.964	12.395	1328.353			
16	11.979	1.285	86.755	17.234	0.980	12.548	1333.078			
17	12.040	1.285	87.011	17.036	0.981	12.539	1334.324			
18	11.437	1.241	85.428	16.798	0.971	12.425	1324.488			
19	11.371	1.230	85.163	16.748	0.963	12.259	1322.093			
20	11.192	1.219	84.935	16.606	0.961	12.337	1321.875			
21	11.453	1.241	85.596	16.886	0.977	12.454	1326.325			
22	11.564	1.249	85.720	17.143	0.982	12.547	1328.400			
23	11.642	1.257	85.932	17.091	0.979	12.512	1327.309			
24	11.551	1.240	85.230	16.728	0.949	12.103	1326.351			
25	11.891	1.258	86.465	16.972	0.969	12.339	1331.642			
26	11.584	1.233	86.000	17.184	0.971	12.475	1328.992			
27	11.531	1.225	85.944	17.154	0.976	12.512	1154.947			
28	11.666	1.240	86.006	16.986	0.980	12.544	1059.234			
29	11.793	1.244	86.487	17.017	0.986	12.603	1061.047			
30	11.756	1.244	86.067	16.835	0.983	12.580	1189.041			
31	11.517	1.214	85.176	16.570	0.943	12.024	1353.986			
1ヶ月値	11.517	1.232	85.215	16.703	0.964	12.343	1298.875			
最大値	12.516	1.360	88.624	18.151	1.061	13.053	1428.931			
最大値日時	05/17 16:40	05/16 16:20	05/17 18:00	05/17 16:50	05/17 06:50	05/01 14:30	05/30 16:30			
最小値	10.527	1.080	75.754	12.235	0.857	11.290	842.963			
最小値日時	05/09 09:10	05/09 08:50	05/22 15:00	05/11 11:10	05/09 10:30	05/09 08:20	05/30 14:00			

測定月報

測定日: 2018/05

(10/11)

[illegible]