

GM	メンバー

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
2018 ZK-01437 ✓	2025/1/6 /	6 /	F1-ICWBL-56 ✓	0.005 ✓	0.005 ✓	0.22 ✓	—
S088 ✓	2025/1/6	6	F1-ICWBL-56	0.005	0.005	0.23 ✓	—
ZK-00730 ✓	2025/1/7 ✓	6 ✓	F1-ICWBL-56 ✓	0.005 ✓	0.005 ✓	0.012 ✓	—
ZK-00891 ✓	2025/1/7	6	F1-ICWBL-56	0.005	0.005	0.093 ✓	—
ZK-00313 ✓	2025/1/7	6	F1-ICWBL-56	0.005	0.005	0.007 ✓	—
ZK-00810 ✓	2025/1/7	6	F1-ICWBL-56	0.005	0.005	0.018 ✓	—
ZK-00266 ✓	2025/1/7	6	F1-ICWBL-56	0.005	0.005	0.014 ✓	—
ZK-01362 ✓	2025/1/7 ✓	6 ✓	F1-ICWBL-89 ✓	0.004 ✓	0.004 ✓	0.004 ✓	—
S141 ✓	2025/1/7	6	F1-ICWBL-89	0.004	0.004	0.021 ✓	—
007 ✓	2025/1/7	6	F1-ICWBL-89	0.004	0.004	0.004 ✓	—
KM-10098 ✓	2025/1/7	6	F1-ICWBL-89	0.004	0.004	0.004 ✓	—
ZK-00613 ✓	2025/1/8 ✓	6 ✓	F1-ICWBL-56 ✓	0.005 ✓	0.005 ✓	0.006 ✓	—
003 ✓	2025/1/8	6	F1-ICWBL-56	0.005	0.005	0.005 ✓	—
ZK-00931 ✓	2025/1/8	6	F1-ICWBL-56	0.005	0.005	0.008 ✓	—
OK-0034 ✓	2025/1/16 ✓	10 ✓	F1-ICWBL-89 ✓	0.004 ✓	0.004 ✓	0.005 ✓	—
OK-0417A ✓	2025/1/16	10	F1-ICWBL-89	0.004	0.004	0.004 ✓	—
A0245 ✓	2025/1/16	10	F1-ICWBL-89	0.004	0.004	0.004 ✓	—
B0127 ✓	2025/1/16	10	F1-ICWBL-89	0.004	0.004	0.004 ✓	—
OK-0214 ✓	2025/1/16	10	F1-ICWBL-89	0.004	0.004	0.004 ✓	—
OK-0020 ✓	2025/1/16	10	F1-ICWBL-89	0.004	0.004	0.004 ✓	—
D0045 ✓	2025/1/16	10	F1-ICWBL-89	0.004	0.004	0.004 ✓	—
A0192 ✓	2025/1/16	10	F1-ICWBL-89	0.004	0.004	0.004 ✓	—
A0033 ✓	2025/1/16	10	F1-ICWBL-89	0.004	0.004	0.004 ✓	—
OK-0145 ✓	2025/1/16	10	F1-ICWBL-89	0.004	0.004	0.004 ✓	—
A0265 ✓	2025/1/16	10	F1-ICWBL-89	0.004	0.004	0.008 ✓	—
OK-0271 ✓	2025/1/16	10	F1-ICWBL-89	0.004	0.004	0.014 ✓	—
OK-0205 ✓	2025/1/17 ✓	10 ✓	F1-ICWBL-89 ✓	0.003 ✓	0.003 ✓	0.014 ✓	—
OK-0259 ✓	2025/1/17	10	F1-ICWBL-89	0.003	0.003	0.003 ✓	—
OK-0131 ✓	2025/1/17	10	F1-ICWBL-89	0.003	0.003	0.007 ✓	—
OK-0029 ✓	2025/1/17	10	F1-ICWBL-89	0.003	0.003	0.003 ✓	—
OK-0015 ✓	2025/1/17	10	F1-ICWBL-89	0.003	0.003	0.003 ✓	—
OK-0219 ✓	2025/1/17	10	F1-ICWBL-89	0.003	0.003	0.003 ✓	—
OK-0031 ✓	2025/1/17	10	F1-ICWBL-89	0.003	0.003	0.003 ✓	—
OK-0251 ✓	2025/1/17	10	F1-ICWBL-89	0.003	0.003	0.003 ✓	—
OK-0049 ✓	2025/1/17	10	F1-ICWBL-89	0.003	0.003	0.003 ✓	—
KM-10166 ✓	2025/1/17 ✓	6 ✓	F1-ICWBL-56 ✓	0.004 ✓	0.004 ✓	0.006 ✓	—
ZK-00662 ✓	2025/1/17	6	F1-ICWBL-56	0.004	0.004	0.005 ✓	—

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				γ	$\beta+\gamma$	γ	$\beta+\gamma$
A0043 ✓	2025/1/18 ✓	10 ✓	F1-ICWBL-89 ✓	0.003 ✓	0.003 ✓	0.003 ✓	—
OK-0235 ✓	2025/1/18	10	F1-ICWBL-89	0.003	0.003	0.003 ✓	—
C0024 ✓	2025/1/18	10	F1-ICWBL-89	0.003	0.003	0.003 ✓	—
OK-0081 ✓	2025/1/18	10	F1-ICWBL-89	0.003	0.003	0.003 ✓	—
OK-0208 ✓	2025/1/18	10	F1-ICWBL-89	0.003	0.003	0.003 ✓	—
S076 ✓	2025/1/18 ✓	6 ✓	F1-ICWBL-56 ✓	0.004 ✓	0.004 ✓	0.022 ✓	—
ZK-00204 ✓	2025/1/18	6	F1-ICWBL-56	0.004	0.004	0.005 ✓	—
ZK-00647 ✓	2025/1/18	6	F1-ICWBL-56	0.004	0.004	0.007 ✓	—
TB-295 ✓	2025/1/18	6	F1-ICWBL-56	0.004	0.004	0.014 ✓	—
KM-10100 ✓	2025/1/18	6	F1-ICWBL-56	0.004	0.004	0.012 ✓	—
2019 FU-00108 ✓	2025/1/20 ✓	6 ✓	F1-ICWBL-56 ✓	0.004 ✓	0.004 ✓	0.012 ✓	—
2019 FU-00281 ✓	2025/1/20	6	F1-ICWBL-56	0.004	0.004	0.007 ✓	—
TB-171 ✓	2025/1/20	6	F1-ICWBL-56	0.004	0.004	0.022 ✓	—
017 ✓	2025/1/20	6	F1-ICWBL-56	0.004	0.004	0.005 ✓	—
TB-195 ✓	2025/1/20	6	F1-ICWBL-56	0.004	0.004	0.026 ✓	—
ZK-00923 ✓	2025/1/21 ✓	6 ✓	F1-ICWBL-89 ✓	0.004 ✓	0.004 ✓	0.005 ✓	—
2020 ZK-03389 ✓	2025/1/21	6	F1-ICWBL-89	0.004	0.004	0.028 ✓	—
TB-252 ✓	2025/1/21	6	F1-ICWBL-89	0.004	0.004	0.014 ✓	—
ZK-00630 ✓	2025/1/21	6	F1-ICWBL-89	0.004	0.004	0.006 ✓	—
ZK-00984 ✓	2025/1/21	6	F1-ICWBL-89	0.004	0.004	0.011 ✓	—
ZK-01268 ✓	2025/1/21	6	F1-ICWBL-89	0.004	0.004	0.11 ✓	—
KM-10147 ✓	2025/1/21	6	F1-ICWBL-89	0.004	0.004	0.004 ✓	—
2018 FU-00082 ✓	2025/1/22 ✓	6 ✓	F1-ICWBL-89 ✓	0.004 ✓	0.004 ✓	0.026 ✓	—
2019 FU-00240 ✓	2025/1/22	6	F1-ICWBL-89	0.004	0.004	0.072 ✓	—
TB-159 ✓	2025/1/22	6	F1-ICWBL-89	0.004	0.004	0.017 ✓	—
ZK-00210 ✓	2025/1/22	6	F1-ICWBL-89	0.004	0.004	0.004 ✓	—
OK-0340 ✓	2025/1/23 ✓	8 ✓	F1-ICWBL-37 ✓	0.003 ✓	0.003 ✓	0.21 ✓	—
ZK-00982 ✓	2025/1/23 ✓	6 ✓	F1-ICWBL-89 ✓	0.004 ✓	0.004 ✓	0.038 ✓	—
ZK-00545 ✓	2025/1/23	6	F1-ICWBL-89	0.004	0.004	0.004 ✓	—
ZK-00717 ✓	2025/1/23	6	F1-ICWBL-89	0.004	0.004	0.004 ✓	—
ZK-00724 ✓	2025/1/23	6	F1-ICWBL-89	0.004	0.004	0.004 ✓	—
ZK-00397 ✓	2025/1/23	6	F1-ICWBL-89	0.004	0.004	0.004 ✓	—
ZK-00346 ✓	2025/1/23	6	F1-ICWBL-89	0.004	0.004	0.006 ✓	—
ZK-00822 ✓	2025/1/23	6	F1-ICWBL-89	0.004	0.004	0.004 ✓	—
KM-10076 ✓	2025/1/23	6	F1-ICWBL-89	0.004	0.004	0.004 ✓	—
OK-0320A ✓	2025/1/24 ✓	10 ✓	F1-ICWBL-37 ✓	0.003 ✓	0.003 ✓	0.005 ✓	—
ZK-00500 ✓	2025/1/24 ✓	6 ✓	F1-ICWBL-89 ✓	0.004 ✓	0.004 ✓	0.010 ✓	—

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
TB-262 ✓	2025/1/24 ✓	6 ✓	F1-ICWBL-89 ✓	0.004 ✓	0.004 ✓	0.006 ✓	—
ZK-00344 ✓	2025/1/24	6	F1-ICWBL-89	0.004	0.004	0.005 ✓	—
ZK-00437 ✓	2025/1/24	6	F1-ICWBL-89	0.004	0.004	0.004 ✓	—
KM-10138 ✓	2025/1/24	6	F1-ICWBL-89	0.004	0.004	0.004 ✓	—
ZK-00922 ✓	2025/1/24	6	F1-ICWBL-89	0.004	0.004	0.005 ✓	—
ZK-00148 ✓	2025/1/24	6	F1-ICWBL-89	0.004	0.004	0.013 ✓	—
TB-269 ✓	2025/1/24	6	F1-ICWBL-89	0.004	0.004	0.025 ✓	—
ZK-00603 ✓	2025/1/24	6	F1-ICWBL-89	0.004	0.004	0.011 ✓	—
2018 ZK-01618 ✓	2025/1/24	6	F1-ICWBL-89	0.004	0.004	0.095 ✓	—
ZK-00866 ✓	2025/1/24	6	F1-ICWBL-89	0.004	0.004	0.007 ✓	—
TB-167 ✓	2025/1/24	6	F1-ICWBL-89	0.004	0.004	0.005 ✓	—
ZK-00355 ✓	2025/1/24	6	F1-ICWBL-89	0.004	0.004	0.005 ✓	—
2020 ZK-03344 ✓	2025/1/24	6	F1-ICWBL-89	0.004	0.004	0.037 ✓	—
OK-0340A ✓	2025/1/25 ✓	10 ✓	F1-ICWBL-37 ✓	0.003 ✓	0.003 ✓	0.006 ✓	—
OK-0398A ✓	2025/1/25	10	F1-ICWBL-37	0.003	0.003	0.004 ✓	—
OK-0439A ✓	2025/1/25	10	F1-ICWBL-37	0.003	0.003	0.005 ✓	—
OK-0381A ✓	2025/1/25	10	F1-ICWBL-37	0.003	0.003	0.006 ✓	—
OK-0445A ✓	2025/1/27 ✓	10 ✓	F1-ICWBL-37 ✓	0.003 ✓	0.003 ✓	0.006 ✓	—
OK-0391A ✓	2025/1/27	10	F1-ICWBL-37	0.003	0.003	0.008 ✓	—
OK-0335A ✓	2025/1/27	10	F1-ICWBL-37	0.003	0.003	0.005 ✓	—
OK-0322A ✓	2025/1/27	10	F1-ICWBL-37	0.003	0.003	0.005 ✓	—
A0092 ✓	2025/1/27	10	F1-ICWBL-37	0.003	0.003	0.011 ✓	—
ZK-00196 ✓	2025/1/27 ✓	6 ✓	F1-ICWBL-89 ✓	0.004 ✓	0.004 ✓	0.004 ✓	—
TB-173 ✓	2025/1/27	6	F1-ICWBL-89	0.004	0.004	0.004 ✓	—
KM-10130 ✓	2025/1/27	6	F1-ICWBL-89	0.004	0.004	0.005 ✓	—
2018 ZK-01445 ✓	2025/1/27	6	F1-ICWBL-89	0.004	0.004	0.007 ✓	—
ZK-00005 ✓	2025/1/27	6	F1-ICWBL-89	0.004	0.004	0.019 ✓	—
C0005 ✓	2025/1/28 ✓	10 ✓	F1-ICWBL-37 ✓	0.003 ✓	0.003 ✓	0.006 ✓	—
A0135 ✓	2025/1/28	10	F1-ICWBL-37	0.003	0.003	0.008 ✓	—
B0082 ✓	2025/1/28	10	F1-ICWBL-37	0.003	0.003	0.012 ✓	—
OK-0277 ✓	2025/1/28	10	F1-ICWBL-37	0.003	0.003	0.009 ✓	—
OK-0231 ✓	2025/1/28	10	F1-ICWBL-37	0.003	0.003	0.005 ✓	—
OK-0066 ✓	2025/1/28	10	F1-ICWBL-37	0.003	0.003	0.017 ✓	—
KM-10159 ✓	2025/1/28 ✓	6 ✓	F1-ICWBL-89 ✓	0.003 ✓	0.003 ✓	0.003 ✓	—
ZK-00194 ✓	2025/1/28	6	F1-ICWBL-89	0.003	0.003	0.003 ✓	—
OK-0023 ✓	2025/1/29 ✓	10 ✓	F1-ICWBL-37 ✓	0.003 ✓	0.003 ✓	0.007 ✓	—
C0021 ✓	2025/1/29	10	F1-ICWBL-37	0.003	0.003	0.023 ✓	—

瓦礫等収納容器点検結果(線量測定データ)

容器番号	確認年月日	コンテナサイズ (m ³)	測定器No	BG値 (mSv/h)		表面線量当量率 (mSv/h)	
				γ	$\beta + \gamma$	γ	$\beta + \gamma$
A0247 ✓	2025/1/29 ✓	10 ✓	F1-ICWBL-37 ✓	0.003 ✓	0.003 ✓	0.013 ✓	—
D0011 ✓	2025/1/29	10	F1-ICWBL-37	0.003	0.003	0.004 ✓	—
OK-0017 ✓	2025/1/29	10	F1-ICWBL-37	0.003	0.003	0.006 ✓	—
C0009 ✓	2025/1/29	10	F1-ICWBL-37	0.003	0.003	0.005 ✓	—
A0256 ✓	2025/1/29	10	F1-ICWBL-37	0.003	0.003	0.005 ✓	—
ZK-00693 ✓	2025/1/29 ✓	6 ✓	F1-ICWBL-89 ✓	0.004 ✓	0.004 ✓	0.004 ✓	—
TB-028 ✓	2025/1/29	6	F1-ICWBL-89	0.004	0.004	0.098 ✓	—
TB-050 ✓	2025/1/29	6	F1-ICWBL-89	0.004	0.004	0.014 ✓	—
KM-10059 ✓	2025/1/29	6	F1-ICWBL-89	0.004	0.004	0.004 ✓	—
026 ✓	2025/1/29	6	F1-ICWBL-89	0.004	0.004	0.004 ✓	—
OK-0389A ✓	2025/1/30 ✓	10 ✓	F1-ICWBL-37 ✓	0.003 ✓	0.003 ✓	0.007 ✓	—
OK-0248 ✓	2025/1/30	10	F1-ICWBL-37	0.003	0.003	0.006 ✓	—
B0123 ✓	2025/1/30	10	F1-ICWBL-37	0.003	0.003	0.029 ✓	—
A0241 ✓	2025/1/30	10	F1-ICWBL-37	0.003	0.003	0.006 ✓	—
OK-0233 ✓	2025/1/30	10	F1-ICWBL-37	0.003	0.003	0.005 ✓	—
C0049 ✓	2025/1/30	10	F1-ICWBL-37	0.003	0.003	0.005 ✓	—
B0116 ✓	2025/1/30	10	F1-ICWBL-37	0.003	0.003	0.007 ✓	—
OK-0405A ✓	2025/1/31 ✓	10 ✓	F1-ICWBL-37 ✓	0.003 ✓	0.003 ✓	0.021 ✓	—
OK-0318A ✓	2025/1/31	10	F1-ICWBL-37	0.003	0.003	0.008 ✓	—
OK-0410A ✓	2025/1/31	10	F1-ICWBL-37	0.003	0.003	0.007 ✓	—
OK-0427A ✓	2025/1/31	10	F1-ICWBL-37	0.003	0.003	0.004 ✓	—
OK-0395A ✓	2025/1/31	10	F1-ICWBL-37	0.003	0.003	0.006 ✓	—
OK-0446A ✓	2025/1/31	10	F1-ICWBL-37	0.003	0.003	0.004 ✓	—
D0015 ✓	2025/1/31	10	F1-ICWBL-37	0.003	0.003	0.024 ✓	—
B0135 ✓	2025/1/31	10	F1-ICWBL-37	0.003	0.003	0.028 ✓	—