

## Analysis Results of Fish

### <Sampled within a 20km Radius of the Fukushima Daiichi Nuclear Power Station> (γ)

(1/7)

Place of Sampling	Name of Sample (Region)	Date of Sampling	Analysis Item			Analysis Laboratory
			Cs-134 (Bq/kg(Raw))	Cs-137 (Bq/kg(Raw))	Cs (Sum) (Bq/kg(Raw))	
Around 1km Offshore of Ota River (T-S1)	Lepidotrigla microptena (muscle)	2025/2/21	< 3.8E+00	< 3.9E+00	ND	Tokyo Power Technology Ltd.
Around 1km Offshore of Ota River (T-S1)	Black rockfish (muscle) No.1	2025/2/21	< 4.5E+00	< 3.7E+00	ND	Tokyo Power Technology Ltd.
Around 1km Offshore of Ota River (T-S1)	Black rockfish (muscle) No.2	2025/2/21	< 4.0E+00	< 4.3E+00	ND	Tokyo Power Technology Ltd.
Around 1km Offshore of Ota River (T-S1)	Black rockfish (muscle) No.3	2025/2/21	< 3.2E+00	< 3.7E+00	ND	Tokyo Power Technology Ltd.
Around 1km Offshore of Ota River (T-S1)	Black rockfish (muscle) No.4	2025/2/21	< 4.0E+00	< 3.9E+00	ND	Tokyo Power Technology Ltd.
Around 1km Offshore of Ota River (T-S1)	Common skate (muscle)	2025/2/21	< 2.9E+00	< 3.4E+00	ND	Tokyo Power Technology Ltd.
Around 1km Offshore of Ota River (T-S1)	Marbled sole (muscle)	2025/2/21	< 3.0E+00	< 3.2E+00	ND	Tokyo Power Technology Ltd.
Around 1km Offshore of Ota River (T-S1)	Flathead (muscle)	2025/2/21	< 3.5E+00	< 3.4E+00	ND	Tokyo Power Technology Ltd.
Around 3km Offshore of Odaka Ward (T-S2)	Lepidotrigla microptena (muscle)	2025/2/21	< 3.7E+00	< 3.6E+00	ND	Tokyo Power Technology Ltd.
Around 3km Offshore of Odaka Ward (T-S2)	Black rockfish (muscle) No.1	2025/2/21	< 3.1E+00	< 4.2E+00	ND	Tokyo Power Technology Ltd.

- Inequality sign (<: less than) indicates that measurement result is less than the detection limit (ND).
- Reference value (on and after April 1, 2012): Sum of radioactivity concentrations for Cs-134 and Cs-137: 1.0E+02Bq/kg.
- Values are expressed in exponential notation. For example, "3.1E+01" means "3.1×10<sup>1</sup>" and equals 31.  
Similarly, "3.1E+00" means "3.1×10<sup>0</sup>" and equals 3.1, and "3.1E-01" means "3.1×10<sup>-1</sup>" and equals 0.31.

Analysis Results of Fish  
<Sampled within a 20km Radius of the Fukushima Daiichi Nuclear Power Station> (γ)

(2/7)

Place of Sampling	Name of Sample (Region)	Date of Sampling	Analysis Item			Analysis Laboratory
			Cs-134 (Bq/kg(Raw))	Cs-137 (Bq/kg(Raw))	Cs (Sum) (Bq/kg(Raw))	
Around 3km Offshore of Odaka Ward (T-S2)	Common skate (muscle)	2025/2/21	< 3.9E+00	< 3.9E+00	ND	Tokyo Power Technology Ltd.
Around 3km Offshore of Odaka Ward (T-S2)	Flatfish (muscle) No.1	2025/2/21	< 3.6E+00	< 3.0E+00	ND	Tokyo Power Technology Ltd.
Around 3km Offshore of Odaka Ward (T-S2)	Flatfish (muscle) No.2	2025/2/21	< 5.0E+00	< 7.1E+00	ND	KAKEN Co., Ltd.
Around 3km Offshore of Odaka Ward (T-S2)	Roundnose flounder (muscle)	2025/2/21	< 4.0E+00	< 4.5E+00	ND	Tokyo Power Technology Ltd.
Around 3km Offshore of Ukedo River (T-S3)	Lepidotrigla microptena (muscle)	2025/2/27	< 3.8E+00	< 3.8E+00	ND	Tokyo Power Technology Ltd.
Around 3km Offshore of Ukedo River (T-S3)	Smooth dogfish (muscle)	2025/2/27	< 3.2E+00	< 3.9E+00	ND	Tokyo Power Technology Ltd.
Around 3km Offshore of Ukedo River (T-S3)	Marbled sole (muscle)	2025/2/27	< 3.6E+00	< 3.8E+00	ND	Tokyo Power Technology Ltd.
Around 3km Offshore of Ukedo River (T-S3)	Roundnose flounder (muscle)	2025/2/27	< 3.3E+00	< 2.8E+00	ND	Tokyo Power Technology Ltd.
Around 3km Offshore of 1F Site (T-S4)	Japanese angel shark (muscle)	2025/2/27	< 3.3E+00	< 4.2E+00	ND	Tokyo Power Technology Ltd.
Around 3km Offshore of 1F Site (T-S4)	Yellow goosfish (whole)	2025/2/27	< 3.2E+00	< 3.5E+00	ND	Tokyo Power Technology Ltd.

- Inequality sign (<: less than) indicates that measurement result is less than the detection limit (ND).
- Reference value (on and after April 1, 2012): Sum of radioactivity concentrations for Cs-134 and Cs-137: 1.0E+02Bq/kg.
- Values are expressed in exponential notation. For example, "3.1E+01" means "3.1×10<sup>1</sup>" and equals 31.  
Similarly, "3.1E+00" means "3.1×10<sup>0</sup>" and equals 3.1, and "3.1E-01" means "3.1×10<sup>-1</sup>" and equals 0.31.

Analysis Results of Fish  
<Sampled within a 20km Radius of the Fukushima Daiichi Nuclear Power Station> (γ)

(3/7)

Place of Sampling	Name of Sample (Region)	Date of Sampling	Analysis Item			Analysis Laboratory
			Cs-134 (Bq/kg(Raw))	Cs-137 (Bq/kg(Raw))	Cs (Sum) (Bq/kg(Raw))	
Around 2km Offshore of Kido River (T-S5)	Yellow goosfish (whole)	2025/2/28	< 4.2E+00	< 4.3E+00	ND	Tokyo Power Technology Ltd.
Around 2km Offshore of Kido River (T-S5)	Black rockfish (muscle) No.1	2025/2/28	< 4.1E+00	< 3.8E+00	ND	Tokyo Power Technology Ltd.
Around 2km Offshore of Kido River (T-S5)	Black sea bream (muscle)	2025/2/28	< 3.6E+00	< 3.5E+00	ND	Tokyo Power Technology Ltd.
Around 2km Offshore of Kido River (T-S5)	Common skate (muscle)	2025/2/28	< 3.9E+00	< 3.6E+00	ND	Tokyo Power Technology Ltd.
Around 2km Offshore of Kido River (T-S5)	Microstomus achne (muscle)	2025/2/28	< 3.2E+00	< 4.2E+00	ND	Tokyo Power Technology Ltd.
Around 2km Offshore of Kido River (T-S5)	Flatfish (muscle) No.1	2025/2/28	< 3.7E+00	< 3.5E+00	ND	Tokyo Power Technology Ltd.
Around 2km Offshore of Kido River (T-S5)	Flatfish (muscle) No.2	2025/2/28	< 6.5E+00	< 5.4E+00	ND	KAKEN Co., Ltd.
Around 2km Offshore of Kido River (T-S5)	Red sea bream (muscle)	2025/2/28	< 3.8E+00	< 3.8E+00	ND	Tokyo Power Technology Ltd.
Around 2km Offshore of Kido River (T-S5)	Roundnose flounder (muscle)	2025/2/28	< 3.2E+00	< 3.4E+00	ND	Tokyo Power Technology Ltd.
Around 2km Offshore of 2F Site (T-S7)	Yellow goosfish (whole)	2025/2/28	< 3.3E+00	< 4.1E+00	ND	Tokyo Power Technology Ltd.

- Inequality sign (<: less than) indicates that measurement result is less than the detection limit (ND).
- Reference value (on and after April 1, 2012): Sum of radioactivity concentrations for Cs-134 and Cs-137: 1.0E+02Bq/kg.
- Values are expressed in exponential notation. For example, "3.1E+01" means " $3.1 \times 10^1$ " and equals 31.  
Similarly, "3.1E+00" means " $3.1 \times 10^0$ " and equals 3.1, and "3.1E-01" means " $3.1 \times 10^{-1}$ " and equals 0.31.

## Analysis Results of Fish

<Sampled within a 20km Radius of the Fukushima Daiichi Nuclear Power Station> (γ)

(4/7)

Place of Sampling	Name of Sample (Region)	Date of Sampling	Analysis Item			Analysis Laboratory
			Cs-134 (Bq/kg(Raw))	Cs-137 (Bq/kg(Raw))	Cs (Sum) (Bq/kg(Raw))	
Around 2km Offshore of 2F Site (T-S7)	Common skete (muscle)	2025/2/28	< 2.9E+00	< 3.1E+00	ND	Tokyo Power Technology Ltd.
Around 2km Offshore of 2F Site (T-S7)	Flatfish (muscle) No.1	2025/2/28	< 2.9E+00	< 3.3E+00	ND	Tokyo Power Technology Ltd.
Around 2km Offshore of 2F Site (T-S7)	Red sea bream (muscle)	2025/2/28	< 3.6E+00	< 3.4E+00	ND	Tokyo Power Technology Ltd.
Around 4km Offshore of Kuma River (T-S8)	Stone flounder (muscle)	2025/2/6	< 3.5E+00	< 4.2E+00	ND	Tokyo Power Technology Ltd.
Around 4km Offshore of Kuma River (T-S8)	Lepidotrigla microptena (muscle)	2025/2/6	< 3.5E+00	< 3.6E+00	ND	Tokyo Power Technology Ltd.
Around 4km Offshore of Kuma River (T-S8)	Common skete (muscle)	2025/2/6	< 3.3E+00	< 3.4E+00	ND	Tokyo Power Technology Ltd.
Around 4km Offshore of Kuma River (T-S8)	Searobin (muscle)	2025/2/6	< 3.6E+00	< 3.9E+00	ND	Tokyo Power Technology Ltd.
Around 4km Offshore of Kuma River (T-S8)	Flathead (muscle)	2025/2/6	< 3.4E+00	< 3.7E+00	ND	Tokyo Power Technology Ltd.
Around 4km Offshore of Kuma River (T-S8)	Red sea bream (muscle)	2025/2/6	< 3.9E+00	< 3.7E+00	ND	Tokyo Power Technology Ltd.
Around 4km Offshore of Kuma River (T-S8)	Roundnose flounder (muscle)	2025/2/6	< 3.6E+00	< 3.4E+00	ND	Tokyo Power Technology Ltd.

- Inequality sign (<: less than) indicates that measurement result is less than the detection limit (ND).
- Reference value (on and after April 1, 2012): Sum of radioactivity concentrations for Cs-134 and Cs-137: 1.0E+02Bq/kg.
- Values are expressed in exponential notation. For example, "3.1E+01" means " $3.1 \times 10^1$ " and equals 31.  
Similarly, "3.1E+00" means " $3.1 \times 10^0$ " and equals 3.1, and "3.1E-01" means " $3.1 \times 10^{-1}$ " and equals 0.31.

## Analysis Results of Fish

<Sampled within a 20km Radius of the Fukushima Daiichi Nuclear Power Station> (γ)

(5/7)

Place of Sampling	Name of Sample (Region)	Date of Sampling	Analysis Item			Analysis Laboratory
			Cs-134 (Bq/kg(Raw))	Cs-137 (Bq/kg(Raw))	Cs (Sum) (Bq/kg(Raw))	
Around 10km Offshore of 1F Site (T-B3)	Lepidotrigla microptena (muscle)	2025/2/15	< 3.3E+00	< 3.8E+00	ND	Tokyo Power Technology Ltd.
Around 10km Offshore of 1F Site (T-B3)	Cinnamon flounder (muscle)	2025/2/15	< 3.1E+00	< 4.4E+00	ND	Tokyo Power Technology Ltd.
Around 10km Offshore of 1F Site (T-B3)	Takifugu snyderi (muscle)	2025/2/15	< 3.4E+00	< 3.6E+00	ND	Tokyo Power Technology Ltd.
Around 10km Offshore of 1F Site (T-B3)	Sea bass (muscle)	2025/2/15	< 3.4E+00	< 4.6E+00	ND	Tokyo Power Technology Ltd.
Around 10km Offshore of 1F Site (T-B3)	Crimson sea bream (muscle)	2025/2/15	< 3.8E+00	< 3.8E+00	ND	Tokyo Power Technology Ltd.
Around 10km Offshore of 1F Site (T-B3)	Flatfish (muscle) No.1	2025/2/15	< 2.9E+00	< 2.6E+00	ND	TEPCO
Around 10km Offshore of 1F Site (T-B3)	Flatfish (muscle) No.2	2025/2/15	< 3.3E+00	< 3.6E+00	ND	Tokyo Power Technology Ltd.
Around 10km Offshore of 1F Site (T-B3)	Searobin (muscle)	2025/2/15	< 3.4E+00	< 4.4E+00	ND	Tokyo Power Technology Ltd.
Around 10km Offshore of 1F Site (T-B3)	Smooth dogfish (muscle)	2025/2/15	< 3.9E+00	< 3.4E+00	ND	Tokyo Power Technology Ltd.
Around 10km Offshore of 1F Site (T-B3)	Red sea bream (muscle)	2025/2/15	< 3.7E+00	< 3.7E+00	ND	Tokyo Power Technology Ltd.

- Inequality sign (<: less than) indicates that measurement result is less than the detection limit (ND).
- Reference value (on and after April 1, 2012): Sum of radioactivity concentrations for Cs-134 and Cs-137: 1.0E+02Bq/kg.
- Values are expressed in exponential notation. For example, "3.1E+01" means " $3.1 \times 10^1$ " and equals 31. Similarly, "3.1E+00" means " $3.1 \times 10^0$ " and equals 3.1, and "3.1E-01" means " $3.1 \times 10^{-1}$ " and equals 0.31.

Analysis Results of Fish  
<Sampled within a 20km Radius of the Fukushima Daiichi Nuclear Power Station> (γ)

(6/7)

Place of Sampling	Name of Sample (Region)	Date of Sampling	Analysis Item			Analysis Laboratory
			Cs-134 (Bq/kg(Raw))	Cs-137 (Bq/kg(Raw))	Cs (Sum) (Bq/kg(Raw))	
Around 10km Offshore of 1F Site (T-B3)	John dory (muscle)	2025/2/15	< 3.7E+00	< 3.9E+00	ND	Tokyo Power Technology Ltd.
Around 10km Offshore of 1F Site (T-B3)	Roundnose flounder (muscle)	2025/2/15	< 3.7E+00	< 4.0E+00	ND	Tokyo Power Technology Ltd.
Around 10km Offshore of 2F Site (T-B4)	Lepidotrigla microptena (muscle)	2025/2/15	< 3.2E+00	< 2.9E+00	ND	Tokyo Power Technology Ltd.
Around 10km Offshore of 2F Site (T-B4)	Takifugu snyderi (muscle)	2025/2/15	< 3.0E+00	< 3.0E+00	ND	Tokyo Power Technology Ltd.
Around 10km Offshore of 2F Site (T-B4)	Sea bass (muscle)	2025/2/15	< 3.1E+00	< 4.0E+00	ND	Tokyo Power Technology Ltd.
Around 10km Offshore of 2F Site (T-B4)	Crimson sea bream (muscle)	2025/2/15	< 4.4E+00	< 4.5E+00	ND	Tokyo Power Technology Ltd.
Around 10km Offshore of 2F Site (T-B4)	Flatfish (muscle) No.1	2025/2/15	< 3.5E+00	< 2.9E+00	ND	TEPCO
Around 10km Offshore of 2F Site (T-B4)	Flatfish (muscle) No.2	2025/2/15	< 3.5E+00	< 4.0E+00	ND	Tokyo Power Technology Ltd.
Around 10km Offshore of 2F Site (T-B4)	Searobin (muscle)	2025/2/15	< 3.4E+00	< 3.9E+00	ND	Tokyo Power Technology Ltd.
Around 10km Offshore of 2F Site (T-B4)	Marbled sole (muscle)	2025/2/15	< 3.8E+00	< 3.6E+00	ND	Tokyo Power Technology Ltd.

- Inequality sign (<: less than) indicates that measurement result is less than the detection limit (ND).
- Reference value (on and after April 1, 2012): Sum of radioactivity concentrations for Cs-134 and Cs-137: 1.0E+02Bq/kg.
- Values are expressed in exponential notation. For example, "3.1E+01" means " $3.1 \times 10^1$ " and equals 31.  
Similarly, "3.1E+00" means " $3.1 \times 10^0$ " and equals 3.1, and "3.1E-01" means " $3.1 \times 10^{-1}$ " and equals 0.31.

Analysis Results of Fish  
<Sampled within a 20km Radius of the Fukushima Daiichi Nuclear Power Station> (γ)

(7/7)

Place of Sampling	Name of Sample (Region)	Date of Sampling	Analysis Item			Analysis Laboratory
			Cs-134 (Bq/kg(Raw))	Cs-137 (Bq/kg(Raw))	Cs (Sum) (Bq/kg(Raw))	
Around 10km Offshore of 2F Site (T-B4)	Red sea bream (muscle)	2025/2/15	< 3.6E+00	< 3.9E+00	ND	Tokyo Power Technology Ltd.
Around 10km Offshore of 2F Site (T-B4)	John dory (muscle)	2025/2/15	< 3.6E+00	< 3.0E+00	ND	Tokyo Power Technology Ltd.
Around 10km Offshore of 2F Site (T-B4)	Roundnose flounder (muscle)	2025/2/15	< 4.1E+00	< 4.1E+00	ND	Tokyo Power Technology Ltd.
Around 10km Offshore of 2F Site (T-B4)	Ridged-eye flounder (muscle)	2025/2/15	< 3.6E+00	< 4.0E+00	ND	Tokyo Power Technology Ltd.
—	—	—	—	—	—	—
—	—	—	—	—	—	—
—	—	—	—	—	—	—
—	—	—	—	—	—	—
—	—	—	—	—	—	—
—	—	—	—	—	—	—

- Inequality sign (<: less than) indicates that measurement result is less than the detection limit (ND).
- Reference value (on and after April 1, 2012): Sum of radioactivity concentrations for Cs-134 and Cs-137: 1.0E+02Bq/kg.
- Values are expressed in exponential notation. For example, "3.1E+01" means " $3.1 \times 10^1$ " and equals 31.  
Similarly, "3.1E+00" means " $3.1 \times 10^0$ " and equals 3.1, and "3.1E-01" means " $3.1 \times 10^{-1}$ " and equals 0.31.

### Analysis Results of Fish <Sampled within a 20km Radius of the Fukushima Daiichi Nuclear Power Station> (H-3)

Place of Sampling	Name of Sample (Region)	Date of Sampling	Analysis Item				Reference Cs (Sum) (Bq/kg(Raw))	Analysis Laboratory	Name of Sample	Date of Sampling	Reference H-3 (Bq/L)
			H-3(Bq/L)		H-3(Bq/kg(Raw))						
			Free Water Tritium	Organically Bound Tritium	Free Water Tritium	Organically Bound Tritium					
Around 1km Offshore of Ota River (T-S1)	Flatfish (muscle)	2024/10/29	1.2E-01	< 2.5E-01	8.9E-02	< 3.7E-02	ND	KAKEN Co., Ltd.	Seawater	2024/10/28	1.2E-01
Around 3km Offshore of Odaka Ward (T-S2)	Flatfish (muscle)	2024/10/29	1.7E-01	< 2.5E-01	1.3E-01	< 3.7E-02	ND	KAKEN Co., Ltd.	Seawater	2024/10/28	1.6E-01
Around 3km Offshore of Ukedo River (T-S3)	Flatfish (muscle)	2024/11/7	2.0E-01	< 2.6E-01	1.6E-01	< 3.4E-02	ND	KAKEN Co., Ltd.	Seawater	2024/11/6	4.0E-01
Around 3km Offshore of 1F Site (T-S4)	—	—	—	—	—	—	—	—	Seawater	2024/11/6	< 6.9E-02
Around 2km Offshore of Kido River (T-S5)	—	—	—	—	—	—	—	—	Seawater	2024/10/16	1.4E-01
Around 2km Offshore of 2F Site (T-S7)	Flatfish (muscle)	2024/10/17	1.1E-01	< 2.5E-01	8.2E-02	< 3.3E-02	ND	TEPCO	Seawater	2024/10/16	9.1E-02
Around 4km Offshore of Kuma River (T-S8)	Flatfish (muscle)	2024/10/22	4.2E-01	< 2.8E-01	3.3E-01	< 3.7E-02	ND	Kyushu Environmental Evaluation Association	Seawater	2024/10/21	6.9E-02
Around 15km Offshore of Odaka Ward (T-B1)	—	—	—	—	—	—	—	—	Seawater	2024/10/22	9.6E-02
Around 18km Offshore of Ukedo River (T-B2)	—	—	—	—	—	—	—	—	Seawater	2024/10/22	< 7.1E-02
Around 10km Offshore of 1F Site (T-B3)	—	—	—	—	—	—	—	—	Seawater	2024/10/26	9.5E-02
Around 10km Offshore of 2F Site (T-B4)	—	—	—	—	—	—	—	—	Seawater	2024/10/26	< 6.7E-02
<div>・ Seawater is sampled from the surface layer. ・ Inequality sign (&lt;: less than) indicates that measurement result is less than the detection limit (ND).</div>									WHO Guidelines for Drinking-water Quality <sup>*1</sup>		1.0E+04

- Seawater is sampled from the surface layer.
- Inequality sign (<: less than) indicates that measurement result is less than the detection limit (ND).
- “—” indicates that the sampling was stopped or samples could not be collected, or the analysis was stopped due to lack of samples.
- Values are expressed in exponential notation. For example, “3.1E+01” means “3.1×10<sup>1</sup>” and equals 31. Similarly, “3.1E+00” means “3.1×10<sup>0</sup>” and equals 3.1, and “3.1E-01” means “3.1×10<sup>-1</sup>” and equals 0.31.
- Reference value (on and after April 1, 2012): Sum of radioactivity concentrations for Cs-134 and Cs-137: 1.0E+02Bq/kg.
- Free Water Tritium means tritium which exists in the tissues of plants and animals as water and is discharged from tissues in the same manner as water.
- Organically Bound Tritium means tritium which organically bonds with protein etc. in the tissues of plants and animals and is taken into the tissues, and is discharged from the tissues through cellular metabolism.
- For the evaluation of the analysis results, please refer to the “Status of the Fukushima Daiichi NPS (Daily Report)”(in Japanese only).  
<https://www.tepcoco.jp/press/report/>

\*1 Guideline level for H-3 in WHO Guidelines for Drinking-water Quality



## Analysis Results of Fish <Sampled within a 20km Radius of the Fukushima Daiichi Nuclear Power Station> (Sr)

Place of Sampling	Name of Sample (Region)	Date of Sampling	Analysis Item		Analysis Laboratory
			Sr-90 (Bq/kg(Raw))	Reference Cs (Sum) (Bq/kg(Raw))	
Around 1km Offshore of Ota River (T-S1)	Black sea bream (whole) No.1	2024/12/5	7.2E-02	ND	Kyushu Environmental Evaluation Association
Around 4km Offshore of Kuma River (T-S8)	Japanese angel shark (whole) No.1	2024/12/10	4.9E-02	ND	KANSO TECHNOS CO., LTD.
Around 4km Offshore of Kuma River (T-S8)	Japanese eagle ray (whole) No.1	2024/10/22	6.2E-02	ND	KANSO TECHNOS CO., LTD.
Around 4km Offshore of Kuma River (T-S8)	Flatfish (whole) No.1	2024/12/10	2.8E-02	ND	KANSO TECHNOS CO., LTD.
Around 10km Offshore of 2F Site (T-B4)	Red sea bream (whole) No.1	2024/11/26	1.7E-02	ND	Kyushu Environmental Evaluation Association

- Inequality sign (<: less than) indicates that measurement result is less than the detection limit (ND).
- Reference value (on and after April 1, 2012): Sum of radioactivity concentrations for Cs-134 and Cs-137: 1.0E+02Bq/kg.
- Edible parts (muscles) of fish were used to measure Cs. Whole fish (except for internal organs) including bones were used to measure Sr.
- Values are expressed in exponential notation. For example, "3.1E+01" means " $3.1 \times 10^1$ " and equals 31. Similarly, "3.1E+00" means " $3.1 \times 10^0$ " and equals 3.1, and "3.1E-01" means " $3.1 \times 10^{-1}$ " and equals 0.31.