




# Radioactivity Density of Seawater (Bq/L)




Radioactivity Density of Seawater at North of 1F5-6 Discharge Channel  
(approx.30m north of 5-6 discharge channel) (Bq/L)




Radioactivity Density of Seawater at South Discharge Channel of 1F (Bq/L)




Radioactivity Density of Seawater at North Discharge Channel of 2F (Bq/L)




Radioactivity Density of Seawater at Iwasawa Shore 2F (Bq/L)




Radioactivity Density of Seawater around approx. 15 km offshore of Minami-Souma City Shore upper layer (Bq/L)



Radioactivity Density of Seawater around approx. 15 km offshore of Minami-Souma City Shore lower layer (Bq/L)




Radioactivity Density of Seawater around approx. 15 km offshore of Ukedogawa Shore upper layer (Bq/L)







Radioactivity Density of Seawater around approx. 15 km offshore of Ukedogawa Shore lower layer (Bq/L)




### Radioactivity Density of Seawater around approx. 15 km offshore of Fukushima Daiichi Nuclear Power Station Shore upper layer




Radioactivity Density of Seawater around approx. 15 km offshore of Fukushima Daiichi Nuclear Power Station Shore lower layer




Radioactivity Density of Seawater around approx. 15 km offshore of Fukushima Daini Nuclear Power Station  
Shore upper layer




Radioactivity Density of Seawater around approx. 15 km offshore of Fukushima Daini Nuclear Power Station  
Shore lower layer




Radioactivity Density of Seawater around approx. 15 km offshore of Iwasawa Shore upper layer (Bq/L)



Radioactivity Density of Seawater around approx. 15 km offshore of Iwasawa Shore lower layer (Bq/L)




Radioactivity Density of Seawater around approx. 15 km offshore of Hirono machi Shore upper layer (Bq/L)







Radioactivity Density of Seawater around approx. 15 km offshore of Hirono machi Shore lower layer (Bq/L)




Radioactivity Density of Seawater around approx. 30 km offshore of Minami-Souma City Shore upper layer  
(Bq/L)




Radioactivity Density of Seawater around approx. 30 km offshore of Minami-Souma City Shore middle layer (Bq/L)




Radioactivity Density of Seawater around approx. 30 km offshore of Minami-Souma City Shore lower layer  
(Bq/L)




Radioactivity Density of Seawater around approx. 30 km offshore of Ukedogawa Shore upper layer (Bq/L)




Radioactivity Density of Seawater around approx. 30 km offshore of Ukedogawa Shore middle layer (Bq/L)



Radioactivity Density of Seawater around approx. 30 km offshore of Ukedogawa Shore lower layer (Bq/L)




Radioactivity Density of Seawater around approx. 5 km offshore of Souma City Shore upper layer (Bq/L)







Radioactivity Density of Seawater around approx. 5 km offshore of Souma City Shore lower layer (Bq/L)




Radioactivity Density of Seawater around approx. 5 km offshore of Kashima Shore upper layer (Bq/L)



Radioactivity Density of Seawater around approx. 5 km offshore of Kashima Shore lower layer (Bq/L)



Radioactivity Density of Seawater around approx. 3 km offshore of Souma City Shore upper layer (Bq/L)



Radioactivity Density of Seawater around approx. 3 km offshore of Souma City Shore lower layer (Bq/L)

