(Attachment 3)

Fukushima Daiichi Nuclear Power Station: Strontium analysis result in the soil

1. Analysis result

(Unit: Bq/kg·Dry soil)

Sampling spot	Date of sampling/		
(): Distance from the stack of Unit 1, 2	Analyses organization	Sr-89	Sr-90
Playground (west-northwest approx. 500m)	June 13/ Japan Chemical Analysis Center	$(1.1\pm0.008)\times10^3$	$(3.0\pm0.04)\times10^2$
Forest of wild birds (west approx. 500m)		(1.5±0.11)×10 ¹	$(6.9\pm0.69)\times10^{0}$
Adjacent to industrial waste disposal facility (south-southwest approx. 500m)		(1.1±0.008)×10 ³	(3.2±0.04)×10 ²
Measured value range in the past	·	-	N.D. ~ 4.3

* Source: Environmental Radiation Measurement Result Report around Nuclear Power station, 2009 (1999 – 2008)

* Avoiding duplicates, we collected samples from adjacent area for Playground and Adjacent to industrial waste disposal facility.

We collected samples depth direction at same point for Forest of wild birds. (In case we unable to collect samples at the same point, we will collect from new point.)

2. Evaluation

Because of the detected density of Sr-90 is higher than the measured fallouts in Japan in the cases of previous nuclear tests in the atmosphere, this can be considered to be caused by the nuclear accident of this time.

End